


65 Cal ArcGuard Nomex/Kevlar Arc Flash Coat



Specs

Product Code	C04KDQT03__32
Stock Sizes	MD-3X
Stock Colors	
Fabric / Material	Multilayer DuPont™ Nomex® and Kevlar®

Compliance

Arc Rating	65 cal/cm²
CAT Level	CAT 4
Standards	<ul style="list-style-type: none">• NFPA 70E• ASTM F1506• CSA Z462• OSHA 1910.269

Features

Features	<ul style="list-style-type: none">• FR fabric will not melt, drip, or ignite• FR hook & loop front closure• Generous cut allows for unrestrictive movement• Breathable FR fabric• Stand up collar for extra coverage• Garments embroidered with arc rating• FR Knit wrist cuffs for a comfortable, secure fit• Available in a convenient kit• Made in the USA
----------	---

Product Care

Product Care	<ul style="list-style-type: none">• READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.• DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners or starch. DO NOT line-dry in sunlight.• Dry Cleanable. Machine wash warm (Max. 140°F / 60°C) . Detergent only. Tumble dry low (Max. 160°F / 71°C).• Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.• If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	---

Sizing Chart

Arc Flash Coat (C04)		
Size	Chest	Sleeve Length
SM	37" - 41"	36"
MD	40" - 44"	37"
LG	43" - 47"	38"
XL	46" - 50"	39"
2X	49" - 53"	40"
3X	52" - 56"	40"
4X	55" - 59"	41"