



NATIONAL  
SAFETY APPAREL®

# 100 Cal ArcGuard Nomex/Kevlar Bib Overalls



## Specs

Product Code	C45KDQE_32
Stock Sizes	MD-2X
Stock Colors	<span style="background-color: #8B4513; width: 15px; height: 15px; display: inline-block;"></span>
Fabric / Material	Multilayer DuPont™ Nomex® and Kevlar®

# Compliance

---

Arc Rating	100 cal/cm <sup>2</sup>
CAT Level	CAT 4
Standards	<ul style="list-style-type: none"><li>• NFPA 70E</li><li>• ASTM F1506</li><li>• CSA Z462</li><li>• OSHA 1910.269</li></ul>

## Features

---

Features	<ul style="list-style-type: none"><li>• FR fabric will not melt, drip, or ignite</li><li>• FR hook and loop calf closure for easy boot entry</li><li>• Quick disconnect and easy adjustable shoulder straps for quick entry</li><li>• Inherently flame resistant for FR protection</li><li>• Side slant pockets on bib overalls</li><li>• Expandable leg opening to fit over boots</li><li>• Garments embroidered with arc rating</li><li>• Available in a convenient kit</li><li>• Made in the USA</li></ul>
----------	---

## Product Care

---

Product Care	<ul style="list-style-type: none"><li>• READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.</li><li>• DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners or starch. DO NOT line-dry in sunlight.</li><li>• Dry Cleanable. Machine wash warm (Max. 140°F / 60°C) . Detergent only. Tumble dry low (Max. 160°F / 71°C).</li><li>• Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.</li><li>• If contaminants cannot be removed after laundering, it is best to discontinue use of garment.</li></ul>
--------------	---

## Sizing Chart

---

**Arc Flash Bib Overall (C45)**

Size	Chest	Waist
SM	31" - 34"	33" - 35"
MD	34" - 37"	36" - 38"
LG	37" - 40"	39" - 41"
XL	40" - 44"	42" - 45"
2X	44" - 48"	46" - 49"
3X	48" - 52"	50" - 53"
4X	52" - 56"	54" - 57"