



COAST
LIGHTS • KNIVES • MULTI-TOOLS

EU 2016





COAST Products is a 97-year-old, family-owned company that produces LED torches, knives, and multi-tools for work, recreation, and everyday use.

COAST produces innovative, technologically advanced products backed by a five-year warranty that makes the user's life safer, easier, and more enjoyable.



COAST warranties its knives, tools and LED torches to be free of defects in materials and workmanship for five years. This warranty does not cover normal wear and tear, nor damage resulting from misuse or neglect. Warranty does not cover batteries and charging accessories (or damage caused by either).

David C. Brands — Owner, COAST Products

CONTENTS – 2016 PRODUCTS & ACCESSORIES

COAST LIGHT LAB & TECH LAB	2	MULTI-TOOL TECHNOLOGY	62
TORCH TECHNOLOGY	6	MULTI-TOOLS	63
POLYSTEEL TORCHES	18		
RECHARGEABLE TORCHES	22	PRODUCT TECH INDEX	68
Rechargeable Torch Accessories	29		
TORCHES	32		
Torch Accessories	41		
HEAD TORCH TECHNOLOGY	44		
HEAD TORCHES	46		
EMERGENCY AREA LANTERN TECHNOLOGY	57		
EMERGENCY AREA LANTERNS	59		

Listed specs are subject to updates at any time.

COAST LIGHT LAB & ANSI FL1

COAST LIGHT LAB

COAST serves on the board of ANSI, which provides the handheld lighting industry with a set of testing standards (called FL1) that make the comparison between lighting products clearer and easier. ANSI FL1 standards require that torches be tested to exacting standards under certain conditions to produce accurate and useful results for the consumer. COAST's in-house Light Lab allows us to do that accurately, efficiently, and with consistency.



COAST LIGHT SPHERE

Ever wonder how a COAST torch gets its lumens rating? Our light sphere is the answer. Sophisticated technology for measuring sophisticated lights.

ANSI FL1 SPECS

A quick FL1 primer: LIGHT OUTPUT (listed as lumens) is a measurement of how much light is being emitted. BEAM DISTANCE measures how far (in metres) a beam projects a useful amount of light, measured at 0.25 lux (approximately the equivalent of light emitted from a full moon "on a clear night in an open field"). RUN TIME is how long a torch will run with fresh batteries from 30 seconds after the torch is turned on until the light output reaches 10% of the initial measurement. Here's an example:

ANSI FL1	High	Medium	Low
Lumens	620	220	64
Beam Distance	234m	134m	74m
Runtime	2h	4h 30min	34h



LAB TECH

The Light Lab requires constant surveillance to operate at its best. Our in-house Lab Tech knows the equipment and speaks the ANSI language.

COAST TECH LAB

COAST TECH LAB

Creating new generations of lighting projects requires an investment in technology and a dedication to electronics testing and design. The COAST Tech Lab allows us to collect the data we need to give our newest torches the most advanced features and performance for their respective categories and price-points. Along with the Light Lab, this further demonstrates COAST's commitment to quality.





TORCH TECHNOLOGY

A close-up photograph of a complex mechanical and electrical assembly. It features several cylindrical components, possibly batteries or capacitors, with labels like '18650' and '3.7V' visible. These are connected by a network of wires and metal brackets. The assembly is mounted on a dark, textured surface, likely a gun's receiver. In the background, a portion of a black gun stock is visible with some faint, illegible markings.


OPTICS
CONTROLS
BUILD TECH
RECHARGEABLE
SYSTEMS
POLYSTEEL



PURE BEAM FOCUSING OPTIC

ENHANCED FIELD OF VIEW

Our largest, Ultra View Flood Beam and our Bulls-Eye Spot Beam with transition halo. The Bulls-Eye Spot provides good viewing up to 767 feet / 234 metres and the Ultra View Flood Beam provides a consistent circle of light up to 11 1/2 feet / 3.5 metres in diameter at a distance of 6 feet / 1.8 metres.



ULTRA VIEW FLOOD BEAM

11.5 ft. / 3.5 m across
at 6 ft. / 1.8 m

BULLS-EYE SPOT BEAM

Up to 1151 ft. / 351 m


Bulls-Eye Spot also available
as stand-alone optic.



LONG RANGE FOCUSING OPTIC

ENHANCED DISTANCE

Our longest, X-Range Spot Beam and our Broad View Flood Beam. The X-Range Spot Beam provides good viewing up to 2240 feet / 683 metres and the Broad View Flood Beam provides a consistent circle of light up to 7 1/2 feet / 2.3 metres in diameter at a distance of 6 feet / 1.8 metres.



LONG DISTANCE SPOT BEAM

Up to 2240 ft. / 683 m


BROAD VIEW FLOOD BEAM

7.5 ft. / 2.3 m across
at 6 ft. / 1.8 m

UNIVERSAL FOCUSING OPTIC

COMPACT SIZE

Designed to fit our smallest focusing torches, our Universal Focusing Optic provides a very broad, consistent flood beam and a long distance spot beam.



MAX VIEW FLOOD BEAM

8 ft. / 2.4 m across
at 6 ft. / 1.8 m

LONG DISTANCE SPOT BEAM

Up to 305 ft. / 93 m

INSPECTION BEAM OPTIC

CLEAR, CONSISTENT, DEFINED

Excellent for up close technical work, reading, and illuminating a defined area up to 30 feet / 9 metres.



LOW GLARE

UTILITY BEAM

EVERYDAY BRIGHT

Comprised of multiple individual light beams that overlap to create a broad, less defined light area that is brighter in the center and diffuses at the edges. A good general-use beam.



+ RED



+ RED, BLUE




+ RED, GREEN, BLUE

BEAM CONTROLS – FOCUSING SYSTEMS


SLIDE FOCUS

Spot to flood light control at your fingertips.
 Shape your beam with the simple push or pull of your thumb.




BEAM LOCK

Lock the beam anywhere you want it.
 Twist left to lock the beam in place.
 Twist back to the right to release.



TWIST FOCUS

Twist the head of the torch to move between a flood and a spot beam.



POWER CONTROLS – SWITCH SYSTEMS

QUICK-CYCLE SWITCH

Control your light power with the push of a button. Press once for full light power; press off and press on again for lower light power. In some models, press off once more and then on again for lowest light power. Certain torches also have a momentary switch—just partially depress the power button.

Some Coast torches include a special strobe feature. Once for full power; off/on again for strobe; off/on again for low light power.



High | Low
 High | Medium | Low
 High | Strobe | Low
 High | Strobe



TAIL CAP DESIGN

Many of COAST's torches use a Quick-Cycle tail switch. A tail switch is a well-known feature in the tactical and professional markets, but not all users may be familiar with the design. One of the most common ways to hold a tail-switch torch is in one's fist, with one's thumb to the rear, touching the switch. This allows the torch to hold up-and-away from one's body, which can provide useful changes in both beam direction and elevation.

COAST's tail cap design also allows many of our torches to stand up straight for vertical lighting applications.



FRONT SWITCH

Easy one handed on / off activation using our metal power switch.



MULTI-SWITCH


Separate metal power switches for different color modes.



TORCH BUILD TECHNOLOGY

PURPOSE BUILT

COAST handheld torches are designed to provide both the internal and external functionality required to excel in their intended purposes. With innovative and patented technologies, as well as high-quality materials and finishing processes, COAST torches provide extraordinary function and value.



**BATTERY CARTRIDGE**

Not all design features present on all torches.

*Some Coast torches also use coating materials in their construction.

DURABLE

COAST handheld torches are manufactured to withstand constant use. Metal construction*, heavy duty O-rings, and custom battery cartridges are all built to provide longevity and durability.



RECHARGEABLE SYSTEMS

FLEX CHARGE DUAL POWER

FEATURED ON:
 HP7R, HP5R, HP3R*,
 A25R, A22R

*HP3R battery cannot be charged outside of torch.



FLEX CHARGE

RECHARGEABLE BATTERIES

Charge one while using the other (both included).

DUAL POWER

ALWAYS READY

Also operates with standard alkaline batteries. Battery cartridge and batteries included on applicable items.

PRO-TEK CHARGING PORT

Slides for charging port access.



AC, DC, USB



Charge with AC, DC, or USB.

PRO-FLEX CHARGING CAP

FEATURED ON:
 A9R, A8R


To recharge,
 simply re-cap
 the torch.



AC, DC, USB



Charge with AC, DC, or USB.



POLYSTEEL

TOUGH TECH



Take a tough-as-nails stainless steel core, cover it in grip-textured poly-nylon, add a focusing, Pure Beam Optic, and then top it off with COAST's warranty and you have POLYSTEEL.

POLYSTEEL torches have passed the IPX8-level waterproof test while under 3 metres (9.9 feet) of water for 6 hours. POLYSTEEL torches have passed the ANSI FL1 drop test from 3 metres in height. COAST has also done some real-world "tough testing," ultimately crushing a POLYSTEEL torch under the track of a massive logging loader. The result? The torch is still on, doing its job.



PURE BEAM FOCUSING OPTIC

Tough doesn't mean you have to skimp on features. All POLYSTEEL torches include COAST's patented Pure Beam Focusing Optic system for outstanding beam shape at all ranges.



TWIST FOCUS CONTROL

The same focusing system found on other high-end COAST torches allows the user to focus the POLYSTEEL beam by simply twisting the head of the torch.

REAL-WORLD TOUGH TESTS



POLY-NYLON OVER STAINLESS STEEL CORE



POLYSTEEL perfectly describes how these torches are constructed. A fiberglass-reinforced polymer covers a stainless steel core to create a torch capable of withstanding serious, professional level use. (NOTE: cutaway shown; poly covers entire handle area).



3-LEVEL REAR SWITCH

The rear power switch controls high / medium / low light settings to provide just the right beam intensity for the application.



TORCHES





POLYSTEEL 600

620 Lumens | 234 m Beam | IPX8 | 4 x AA


 High | Medium | Low
 Twist Focus

Length: 7.9" | 20 cm

Weight: 12 oz. | 340 g

 Poly-nylon over stainless
 steel core

4 x AA batteries

 Clam: **20781**

 Box: **20782**

ANSI FL1	High	Medium	Low
Lumens	620	220	64
Beam Distance	234m	134m	74m
Runtime	2h	4h 30min	34h

The Polysteel 600 is waterproof, drop proof, and crush proof, which makes this high-lumens torch ultra-durable and ready to weather any storm.




Twist Focus


 IPX8 Waterproof
 at 3 metres for 6 h


WATERPROOF

POLYSTEEL 400

300 Lumens | 194 m Beam | IPX8 | 4 x AAA

High | Medium | Low
Twist FocusLength: 5.75" | 14.6 cm
Weight: 6.4 oz. | 181 g

Poly-nylon over stainless steel core

4 x AAA batteries

Clam: 20779
Box: 20780

ANSI FL1	High	Medium	Low
Lumens	300	105	33
Beam Distance	194m	113m	62m
Runtime	1h	3h 15min	15h

The Polysteel 400 is waterproof, drop proof, and crush proof, all in an easy-to-handle, mid-sized package.




Twist Focus

IPX8 Waterproof
at 3 metres for 6 h

POLYSTEEL 200

250 Lumens | 121 m Beam | IPX8 | 3 x AAA

High | Medium | Low
Twist FocusLength: 5.0" | 12.7 cm
Weight: 4.1 oz. | 116 g

Poly-nylon over stainless steel core

3 x AAA batteries


Clam: 20777
Box: 20778

ANSI FL1	High	Medium	Low
Lumens	250	87	26
Beam Distance	121m	68m	37m
Runtime	3h 30min	9h	35h

The Polysteel 200 is Coast's smallest waterproof, drop proof, and crush proof torch.



Twist Focus

IPX8 Waterproof
at 3 metres for 6 h

RECHARGEABLE TORCHES





COAST™ HP7R

COAST™ HP5R



300 Lumens | 352 m Beam | IPX4 | Lithium Ion or 4 x AAA


**LONG RANGE
FOCUS
SPOT & FLOOD**
**High | Strobe | Low
Slide Focus + Beam Lock**

 Length: 6.125" | 15.6 cm
 Weight: 7.2 oz. | 204 g

 2 x Li Ion battery packs
 4 x AAA batteries
 AC+DC with USB adapters
 Wall mount + Speed clip
 Heavy-duty sheath
 Lanyard

 Clam: -
 Box: 19906

ANSI FL1 (Li Ion)	High	Low
Lumens	300	30
Beam Distance	352m	111m
Runtime	7h	33h

ANSI FL1 (Alk)	High	Low
Lumens	265	30
Beam Distance	326m	111m
Runtime	1h 45min	12h

The HP7R is the ultimate torch for any law enforcement official, serious professional, or hardcore adventurer.


Slide Focus

**Lens filter kit
available**

Strobe

FLEX CHARGE DUAL POWER



The HP7R includes two lithium ion rechargeable battery packs and one alkaline battery cartridge (with 4 AAA batteries). The rechargeable battery packs can be charged either inside or outside the torch, assuring that you're never out of power. With the AC and DC adapters connected via a USB cable (all included), charging can be done in diverse and remote locations.



RECHARGEABLE BATTERY PACKS

Item: 19704



ALKALINE BATTERY CARTRIDGE

Item: 19726



 **HP5R**

185 Lumens | 183 m Beam | IPX4 | Lithium Polymer or 1 x AA


High | Strobe | Low
Slide Focus + Beam Lock

 Length: 4.875" | 12.4 cm
 Weight: 2.6 oz. | 74 g

 2 x lithium polymer batteries
 1 x AA battery
 AC+DC with USB adapters
 Wall mount + Speed clip
 Heavy-duty sheath
 Lanyard

 Clam: -
 Box: 19905

ANSI FL1 (Li Poly) High

 Lumens 185
 Beam Distance 183m
 Runtime 4h 30min

Low

 19
 56m
 14h

ANSI FL1 (Alk)

 High 100
 Beam Distance 127m
 Runtime 2h 30min

Low

 12
 45m
 9h

Compact in size and combining our Long Range Optic System with slide focus and a lightweight aluminum body, the HP5R is optimal for pocket carry.


Slide Focus

Lens filter kit available

Strobe
FLEX CHARGE DUAL POWER

PRO-TEK
CHARGING PORT

The HP5R includes two lithium polymer rechargeable batteries and one AA battery. The rechargeable batteries can be charged either inside or outside the torch, assuring that you're never out of power. With the AC and DC adapters connected via a USB cable (all included), charging can be done in diverse and remote locations.


RECHARGEABLE
BATTERIES

Item: 19703





245 Lumens | 93 m Beam | IPX4 | Lithium Polymer or 2 x AAA


**High | Low
Twist Focus**

 Length: 5.8" | 14.8 cm
 Weight: 1.8 oz. | 51 g

 1 x Lithium polymer battery
 2 x AAA batteries
 AC+DC with USB adapters

 Clam: —
 Box: 21232

ANSI FL1 (Li Poly) High	Low
Lumens 245	26
Beam Distance 93m	31m
Runtime 1h 30min	6h

ANSI FL1 (Alk)	High	Low
Lumens 86	10	
Beam Distance 55m	19m	
Runtime 2h	26h	

There are pen torches, and then there is the HP3R which is the brightest pen torch on the market—and it's rechargeable.


FLEX CHARGE DUAL POWER

**PRO-TEK
CHARGING PORT**
**RECHARGEABLE
BATTERY**

Item: 20854



Assembled in China


Cells made in China



RECHARGEABLE TORCHES

COAST
LIGHTS • KNIVES • MULTI-TOOLS

25



COASTportland.com

 **A25R**

725 Lumens | 208 m Beam | IPX4 | Lithium Ion or 4 x AAA


**High | Low
Slide Focus + Beam Lock**

 Length: 6.25" | 15.9 cm
 Weight: 10.4 oz. | 295 g


 2 x Li Ion battery packs
 4 x AAA batteries
 AC+DC with USB adapters
 Wall mount + Speed clip
 Heavy-duty sheath
 Lanyard

 Clam: —
 Box: **19854**

ANSI FL1 (Li Ion)	High	Low
Lumens	725	80
Beam Distance	208m	67m
Runtime	6h 45min	19h

ANSI FL1 (Alk)	High	Low
Lumens	515	64
Beam Distance	173m	62m
Runtime	2h	11h

With an easy to clean stainless steel body, Pure Beam Optic, slide focus, and rechargeable tech all in the palm of your hand, the A25R is optimal for automotive technicians and other professional users who demand the best.


Slide Focus
FLEX CHARGE DUAL POWER

**PRO-TEK
CHARGING PORT**

The A25R includes two lithium ion rechargeable battery packs and one alkaline battery cartridge (with 4 AAA batteries). The rechargeable battery packs can be charged either inside or outside the torch, assuring that you're never out of power. With the AC and DC adapters connected via a USB cable (all included), charging can be done in diverse and remote locations.


**RECHARGEABLE
BATTERY PACKS**

 Item: **19704**

**ALKALINE BATTERY
CARTRIDGE**

 Item: **19726**


 **A22R**

340 Lumens | 98 m Beam | IPX4 | Lithium Polymer or 1 x AA


High | Low
Slide Focus + Beam Lock

 Length: 4.75" | 12.1 cm
 Weight: 4.6 oz. | 130 g


 2 x lithium polymer batteries
 1 x AA battery
 AC+DC with USB adapters
 Wall mount + Speed clip
 Heavy-duty sheath
 Lanyard

 Clam: —
 Box: **19853**

ANSI FL1 (Li Poly) High	Low
Lumens	340
Beam Distance	98m
Runtime	3h 15min
	10h

ANSI FL1 (Alk)	High	Low
Lumens	135	36
Beam Distance	60m	22m
Runtime	2h 30min	8h

With an easy to clean stainless steel body, Pure Beam Optic, slide focus, and rechargeable tech, the A22R is optimal for automotive technicians and other professional users who demand the best—just in a smaller package.


FLEX CHARGE DUAL POWER

PRO-TEK
CHARGING PORT

RECHARGEABLE
BATTERIES

 Item: **19703**



A9R

20 m Beam | IPX4 | Lithium Polymer



Length: 6.2" | 15.7 cm

Weight: 2.1 oz. | 60 g

AC+DC with USB adapters

Pocket clip

Clam: -

Box: 19852

ANSI FL1

Beam Distance 20m

Runtime 3h

With a sleek stainless steel design and recharging capability, the A9R is an amazing go to pen torch for serious technicians.

PRO-FLEX CHARGING CAP

The A9R has one lithium polymer rechargeable battery, which is charged with the Pro-Flex Charging Cap while inside the torch via an AC or DC adapter and USB cable (all included).


A8R

19 m Beam | IPX4 | Lithium Polymer



Length: 4.25" | 11.0 cm

Weight: 0.4 oz. | 11.0 g

AC+DC with USB adapters

Pocket clip

Clam: -

Box: 20372

ANSI FL1

Beam Distance 19m

Runtime 1h

Coming in as the smallest and lightest weight rechargeable pen torch on the market, the A8R torch is the “ounce-for-ounce” champion of the world.

PRO-FLEX CHARGING CAP

The A8R has one lithium polymer rechargeable battery, which is charged with the Pro-Flex Charging Cap while inside the torch via an AC or DC adapter and USB cable (all included).



**HP7R, A25R
BATTERY PACK**

Item: 19704


**HP7R, A25R
BATTERY CARTRIDGE**

Batteries not included

Item: 19726


**HP5R, A22R
BATTERY**

Item: 19703


**HP3R
BATTERY**

Item: 20854


**A9R
BATTERY**

Item: 19698


A8R BATTERY

Item: 20349


**FLEX CHARGE
USB CABLE**

Item: 19702


**A9R, A8R
PRO-FLEX CABLE**

Item: 19701


 Shown with EU-specific plug.
 UK plug also available.

**AC POWER
ADAPTER**

Item: 20041


**DC POWER
ADAPTER**

Item: 19700






TORCHES



HP314

1060 Lumens | 693 m Beam | IPX4 | 4 x D


 High | Strobe | Low
 Slide Focus

Length: 17.12" | 43.5 cm

Weight: 49.6 oz. | 1406 g

4 x D batteries included

 Clam: –
 Box: 19855

ANSI FL1	High	Low
Lumens	1060	150
Beam Distance	693m	261m
Runtime	2h 45min	92h


 Custom EVA case with
 shoulder strap and
 bezel ring included


Slide Focus



Strobe



WHEN YOU NEED THE BEST, TAKE THE HP314

Measuring over 17 inches long and throwing out over 1000 lumens of highly focused light, the HP314 is the pinnacle of all COAST torches. When the conditions demand it, nothing else will do.



HP14

580 Lumens | 233 m Beam | IPX4 | 4 × AA


 High | Medium | Low
Slide Focus + Beam Lock

Length: 8.4" | 21.3 cm

Weight: 14.2 oz. | 402 g

4 × AA batteries included

Clam: **19621**Box: **19609**

ANSI FL1	High	Medium	Low
Lumens	580	225	51
Beam Distance	233m	142m	67m
Runtime	1h 45min	14h	52h


Utilizing a slightly larger size body, the HP14 torch is able to run off AA batteries and achieve the brightness and power that professionals crave.

**Slide Focus**



HP7

345 Lumens | 211 m Beam | IPX4 | 4 x AAA



Length: 5.6" | 14.2 cm
Weight: 7.2 oz. | 204 g

4 x AAA batteries included
Heavy-duty sheath (box only)
Clam: 19620
Box: 19608



ANSI FL1	High	Medium	Low
Lumens	345	180	49
Beam Distance	211m	145m	76m
Runtime	2h	5h 45min	10h

A perfect mix of size, form, and performance, the HP7 torch is rightfully one of our most popular handhelds.




Slide Focus



Lens filter kit available

HP2

85 Lumens | 54 m Beam | IPX4 | 1 x AAA



Length: 4.0" | 10.2 cm
Weight: 1.4 oz. | 40 g
1 x AAA batteries included
Pocket clip

Clam: 19828
Box: -



ANSI FL1	
Lumens	85
Beam Distance	54m
Runtime	2h 45min


Start with a compact body and pocket clip, then add our Universal Focusing System that gives you the ability to have the wide flood for up close work, or twist focus to a spot beam.



Twist Focus

HX5

130 Lumens | 79 m Beam | IPX4 | 1 x AA or 1 x NiMH or 1 x Li Ion



Slide Focus

Length: 4.0" | 10.2 cm

Weight: 2.5 oz. | 71 g

1 x AA batteries included

Two-way clip

Clam: 20796

Box: 20797



Two-way clip

ANSI FL1	Alkaline	NiMH	Li Ion
Lumens	130	125	345
Beam Distance	79m	77m	130m
Runtime	3h 45min	1h 15min	45min


The compact HX5 is compatible with alkaline AA (included), rechargeable NiMH, and rechargeable Lithium 14500 batteries.



Slide Focus

PX26

265 Lumens | 121 m Beam | IPX4 | 3 x AAA



Length: 4.7" | 11.9 cm

Weight: 4.2 oz. | 119 g

3 x AAA batteries included

Heavy-duty sheath (box only)

Clam: 19626

Box: 19607



ANSI FL1
Lumens
Beam Distance
Runtime

Utilizing our Bulls-Eye Spot Beam, the PX26 torch throws a spot beam far downrange while having a transition halo that produces an outer ring of flood light which allows for a broader area of side vision.

PX10

85 Lumens | 34 m Beam | IPX4 | 3 x AAA



6 LEDs (5 white + 1 UV)

Length: 4.0" | 10.2 cm

Weight: 3.0 oz. | 85 g

3 x AAA batteries included

Heavy-duty sheath (box only)

Clam: 19639

Box: 19603




ANSI FL1
Lumens
Beam Distance
Runtime

Combine 5 super bright white LEDs and 1 UV LED and you get our PX20, a great everyday torch that offers bright illumination coupled with an ultraviolet beam option.

PX1

315 Lumens | 131 m Beam | IPX4 | 3 × AAA


 Length: 4.5" | 11.4 cm
 Weight: 4.6 oz. | 130 g

 3 × AAA batteries included
 Pocket clip

 Clam: 21288
 Box: 21289


ANSI FL1	High	Low
Lumens	315	25
Beam Distance	131m	37m
Runtime	2h 15min	41h

Coupling the Pure Beam Optic with the ability to twist focus, the PX1 will be your trusted sidekick for all of your daily work in a variety of distances.

**TX100**

125 Lumens | 96 m Beam | IPX4 | 2 × AA


 Length: 5.8" | 14.7 cm
 Weight: 4.8 oz. | 136 g

 2 × AA batteries included
 Conforms to certain MIL-STD-810 standards

 Clam: -
 Box: 20371


ANSI FL1	White	Blue	Red
Lumens	125	37	39
Beam Distance	96m	40m	39m
Runtime	13h	14h	14h

Need a brighter and longer reaching red and blue option? Look no further than the TX100 torch which offers our farthest reaching and brightest red and blue beams.

TX10

80 Lumens | 33 m Beam | IPX4 | 3 × AAA


 Length: 4.0" | 10.1 cm
 Weight: 3.0 oz. | 85 g

 3 × AAA batteries included
 Clam: 19627
 Box: -



ANSI FL1	
Lumens	80
Beam Distance	33m
Runtime	9h 45min

When having white light is just not enough for you, look no further than our Quad Color TX10. It has our Utility Beam diffused flood in white, red, green, and blue.



G50

230 Lumens | 165 m Beam | IPX4 | 3 x AAA



Length: 4.8" | 12.2 cm
Weight: 5.8 oz. | 164 g

3 x AAA batteries included

Clam: 19801
Box: 19822



ANSI FL1

Lumens	230
Beam Distance	165m
Runtime	2h 30min

Harnessing the Pure Beam Optic with the ability to twist focus, the G50 torch is a workhorse for daily use in a variety of distances.



G45

150 Lumens | 37 m Beam | IPX4 | 3 x AAA



Length: 4.6" | 11.7 cm
Weight: 3.6 oz. | 102 g

3 x AAA batteries included

Clam: 19821
Box: 19820



ANSI FL1

Lumens	150
Beam Distance	37m
Runtime	4h

One of the few silver aluminum torches in the line, the G45 combines our Utility Beam Optic with a fairly compact size that is great for a wide variety of situations.

G19

20 m Beam | IPX4 | 1 x AAA


**INSPECTION
BEAM**
 LOW GLARE


Length: 4.0" | 10.2 cm

Weight: 2.0 oz. | 57 g

1 x AAA battery included

Pocket clip

ANSI FL1

Beam Distance 20m

Runtime 2h 30min

Not only is it ultra compact with a pocket clip, the G19, with our Inspection Beam Optic, gives you a crisp, circular beam that has low glare for up-close work.

Clam: **19615**Box: **19814****G4**

19 Lumens | 23 m Beam | IPX4 | 4 x AG5


**MINI-FLOOD
BEAM**
 LOW GLARE


Length: 2.5" | 6.2 cm

Weight: 0.4 oz. | 11.3 g

4 x AG5 batteries included

Clam: **20392**24-Pack: **20428****ANSI FL1**

Lumens 19

Beam Distance 24m

Runtime 45min

Extremely compact, yet powerful, the G4 is the perfect keychain companion when you need help finding a keyhole or whatever was dropped on the floor of your car.



Crisp, even, and sized just right: COAST's Inspection Beam.

A5 20 m Beam | IPX4 | 1 x AAA
**INSPECTION
BEAM
LOW GLARE**

Length: 3.75" | 9.5 cm

Weight: 2.0 oz. | 57 g

1 x AAA battery included

Pocket clip

Clam: -

Box: 19606

**ANSI FL1**

Beam Distance 20m

Runtime 6h

Crafted with a sleek stainless steel body, a removable pocket clip, and our Inspection Beam Optic, the A5 is a must have for anyone needing consistent light in up-close work environments,



LF100 LENS FILTER KIT

4 colors + clear. Fits: HP7R, HP7, HL8, HL8R, and other torches with similar bezel diameters.

| Item: **20186**

**LF50 LENS FILTER KIT**

4 colors + clear. Fits: HP5R, PX26, PX1, and other torches with similar bezel diameters.

| Item: **20415**

**TORCH SHEATHS**

Belt loop built-in

High-tension elastic sides



S40

Fits: PS400, HP7R,
A25R

| Clam: **21349**

\$50 Fits: PS600, HP14

| Clam: **21350**



S30

Fits: PS200, HP7

| Clam: **21348**

COASTportland.com



S20

Fits: HP5R, A22R, PX26,
G45

| Clam: **21347**



S10

Fits: TX10

| Clam: **21346**



Sheaths may also fit torches with dimensions similar to those listed.

HEAD TORCHES








PURE BEAM FOCUSING OPTIC

ENHANCED FIELD OF VIEW

Our largest, Ultra View Flood Beam and our Bulls-Eye Spot Beam with transition halo. The Bulls-Eye Spot provides good viewing up to 767 feet / 234 metres and the Ultra View Flood Beam provides a consistent circle of light up to 11 1/2 feet / 3.5 metres in diameter at a distance of 6 feet / 1.8 metres.

Available with secondary red utility beam  + RED



ULTRA VIEW FLOOD BEAM

11.5 ft. / 3.5 m across at 6 ft. / 1.8 m

Ultra View Flood also available
as stand-alone optic.

BULLS-EYE SPOT BEAM

Up to 702 ft. / 214 m

Bulls-Eye Spot also available
as stand-alone optic.



UTILITY BEAM

EVERYDAY BRIGHT

Comprised of multiple individual light beams that overlap to create a broad, less defined light area that is brighter in the center and diffuses at the edges. A good general-use beam.



+ RED

This is two beams in one head torch. A red beam is for use at night to prevent "night blinding" or for emergency signal use.

BEAM SHAPING & CONTROLS

BEAM SHAPING

The Twist Focus Ring makes it easy to go from Ultra View Flood Beam to Bulls-Eye Spot.



EASY ON/OFF

COAST head torches have several different power switch designs, but all are easy to use.

VARIABLE LIGHT CONTROL TECHNOLOGY (VLT)

COAST HEAD TORCHES OFFER THREE WAYS TO CONTROL LIGHT OUTPUT.



CONTROL WHEEL

Our patent-pending head torch light-control system employs a durable, easy-to-use sensor that detects a magnetic field.



LIGHT DIAL

Positioned on the side of the bezel of the head torch, the Light Dial allows for quickly controlling your light output at the turn of a knob.

ADDITIONAL TECHNOLOGY



REFLECTIVE SAFETY STRAP

Certain COAST head torches include a reflective safety strap for additional user visibility in low light.



HINGED BEAM ADJUSTMENT

ALL COAST head torches include a hinged, tilting head to let you adjust direction of the light beam.




HARDHAT COMPATIBILITY

Certain COAST head torches include clips for hardhat compatibility.

FL85

540 Lumens | 172 m Beam | IPX4 | 3 x AAA



Weight: 4.5 oz. | 128 g

3 x AAA batteries included

Hardhat compatible

Reflective safety strap

Clam: 21341

Box: 21342



ANSI FL1	High	Medium	Low
Lumens	540	320	75
Beam Distance	172m	129m	63m
Runtime	2h	2h 30min	17h

The FL85 is our most powerful front loader, combining a Pure Beam Focusing Optic with a red beam option to maximize professional or recreational capability.



Twist Focus




Hinged beam



Reflective strap

FL75

405 Lumens | 140 m Beam | IPX4 | 3 x AAA



Weight: 3.7 oz. | 105 g

3 x AAA batteries included

Hardhat compatible

Reflective safety strap

Clam: 21339

Box: 21340



ANSI FL1	High	Medium	Low
Lumens	405	230	53
Beam Distance	140m	105m	51m
Runtime	2h	3h 15min	21h

The FL75 combines a Pure Beam Focusing Optic with a red beam option, as well as offering a reflective head-strap, all in a slightly smaller size.



Twist Focus




Hinged beam



Reflective strap

FL70

405 Lumens | 140 m Beam | IPX4 | 3 x AAA



Weight: 3.6 oz. | 102 g
3 x AAA batteries included
Hardhat compatible
Reflective safety strap

Clam: 21337
Box: 21338



ANSI FL1	High	Medium	Low
Lumens	405	230	53
Beam Distance	140m	107m	51m
Runtime	2h	2h 45min	20h

A high output, all white, front-loader with a Pure Beam Focusing Optic and three light modes for pros and adventurers alike.



Twist Focus



Hinged beam



Reflective strap

FL60

300 Lumens | 29 m Beam | IPX4 | 3 x AAA



Weight: 3.3 oz. | 94 g
3 x AAA batteries included
Hardhat compatible
Reflective safety strap

Clam: 21297
Box: 21336



ANSI FL1	High	Medium	Low
Lumens	300	175	39
Beam Distance	29m	22m	10m
Runtime	2h 45min	3h 30min	22h

The FL60 brings a specialty optic to Coast head torches, the Wide Angle Flood Beam, which is ideal for illuminating the broadest possible area in bright, even light.




Hinged beam



Reflective strap

FL44

250 Lumens | 49 m Beam | IPX4 | 3 x AAA



Weight: 3.0 oz. | 85 g

3 x AAA batteries included

Hardhat compatible

Reflective safety strap

Clam: 21419

Box: 20448



ANSI FL1	High	Medium	Low
Lumens	250	150	34
Beam Distance	49m	38m	18m
Runtime	3h 45min	4h 15min	28h

All about general use, the FL44 brings a multi-LED Utility Beam to our front loading line-up, while also adding a glare-reducing red beam option.



Hinged beam



Reflective strap



FL30

240 Lumens | 44 m Beam | IPX4 | 3 x AAA



Weight: 2.9 oz. | 82 g
 3 x AAA batteries included
 Hardhat compatible
 Reflective safety strap

Clam: 21332
 Box: 21333



ANSI FL1	High	Low
Lumens	240	32
Beam Distance	44m	16m
Runtime	4h 30min	30h

The FL30 is a general-use, front loading head torch that uses a bright, multi-LED Utility Beam with two modes.




Hinged beam



Reflective strap

FL11

130 Lumens | 27 m Beam | IPX4 | 2 x AAA



Weight: 2.3 oz. | 65 g
 2 x AAA batteries included

Clam: 21422
 Box: -




ANSI FL1	High	Low
Lumens	130	40
Beam Distance	27m	15m
Runtime	4h 30min	10h

The FL11 is our most compact front loading head torch, but it still provides a bright Utility Beam with two power levels and two color modes.



Hinged beam

HL27 330 Lumens | 129 m Beam | IPX4 | 3 x AA

**Variable Light Tech (VLT)
Twist Focus**

Weight: 6.9 oz. | 196 g

3 x AA batteries included

Light Output Control Wheel

Hardhat compatible

Z-cord in headband

Removable top strap

Clam: 19805

Box: 19804

Removable
top strap

The HL27 has the light dimming on the front of the head torch so as to keep all the controls in one convenient place.

ANSI FL1	High	Low
Lumens	330	1
Beam Distance	129m	7m
Runtime	8h 30min	93h



Control Wheel



Hinged beam



Twist Focus

HL8 390 Lumens | 217 m Beam | IPX4 | 4 x AA

**High | Medium | Low
Twist Focus**

Weight: 12.8 oz. | 363 g

4 x AA batteries included

Light Output Control Dial

3' battery extension cord

Hardhat compatible

Z-cord in headband

Clam: 19826

Box: 19825



With our largest alkaline power source and optic in a head torch, the HL8 and its aluminum bezel and removable and extendable battery pack make it the workhorse of the collection.



Light Dial



Twist Focus



Hinged beam

 **HL8R**

 800 Lumens | 214 m Beam | IPX4 |
 Li Ion or 4 x AA


PURE BEAM
FOCUS
 FLOOD & SPOT

 High | Medium | Low
 Twist Focus

Weight: 12.3 oz. | 349 g

4 x AA batteries included

Light Output Control Dial

3' battery extension cord

Hardhat compatible

Z-cord in headband

Clam: -

Box: 21429


 Lens filter kit
 available


The rechargeable version of our HL8 has all of the great features of that head torch, but adds a separate, rechargeable battery pack and higher output.

ANSI FL1 (Li Ion)	High	Medium	Low
Lumens	800	245	50
Beam Distance	214m	119m	55m
Runtime	4h 15min	12h	62h

ANSI FL1 (Alk)	High	Medium	Low
Lumens	750	245	50
Beam Distance	207m	119m	55m
Runtime	1h 15min	4h	47h



Light Dial



Twist Focus



Hinged beam

RECHARGEABLE BATTERY PACK

Item: 21471



ALKALINE BATTERY PACK

Item: 21499



HL7

285 Lumens | 119 m | IPX4 | 3 x AAA



Weight: 4.4 oz. | 125 g

3 x AAA batteries included

Light Output Control Wheel

Hardhat compatible

Z-cord in headband

Clam: 20104

Box: 20106




ANSI FL1	High	Low
Lumens	285	4
Beam Distance	119m	13m
Runtime	1h 30min	70h

The HL7 gives you the ability to shine a ultra wide flood beam and then quickly twist the bezel.

**HL7R**

240 Lumens | 104 m Beam | IPX4 | 3 x Ni-MH



Weight: 4.4 oz. | 125 g

3 x NiMH batteries included

Light Output Control Wheel

Hardhat compatible

Z-cord in headband

Clam: 20107

Box: 20115



ANSI FL1	High	Low
Lumens	240	4
Beam Distance	104m	13m
Runtime	1h 30min	40h

The rechargeable version of our HL7 has all of the great features of that head torch, but is powered by a rechargeable battery pack.



HL6

285 Lumens | 119 m Beam | IPX4 | 3 x AAA


**BULLS-EYE
SPOT BEAM
FOR DISTANCE**
Variable Light Tech (VLT)

Weight: 4.2 oz. | 119 g

3 x AAA batteries included

Light Output Control Wheel

Hardhat compatible

Z-cord in headband

Clam: **20098**Box: **20102**

ANSI FL1	High	Low
Lumens	285	4
Beam Distance	119m	13m
Runtime	1h 30min	70h

High-output Bulls-Eye Spot Beam in the form of a lightweight head torch so that you can easily recreate or work hands-free.

**Control Wheel****Hinged beam****HL5**

175 Lumens | 56 m Beam | IPX4 | 3 x AAA


**UTILITY
BEAM
6 LEDs**

Weight: 4.4 oz. | 125 g

3 x AAA batteries included

Hardhat compatible

Z-cord in headband

Clam: **19623**Box: **19824****ANSI FL1**

Lumens	175
Beam Distance	56m
Runtime	3h 15min

Whether you want to put it on your hardhat or simply on your head, the HL5 is a great all around head torch for day-to-day use.

**Hinged beam**

HL4

145 Lumens | 50 m Beam | IPX4 | 3 x AAA



Weight: 4.4 oz. | 125 g

3 x AAA batteries included

Hardhat compatible

Z-cord in headband

Clam: 19802

Box: 19612

**ANSI FL1**

Lumens	145
Beam Distance	50m
Runtime	4h

By combining red and white LEDs, the HL4 is great when you need bright illumination or need to work in situations while preserving your night vision.

**Hinged beam****HL3**

100 Lumens | 39 m Beam | IPX4 | 3 x AAA



Weight: 4.4 oz. | 125 g

3 x AAA batteries included

Hardhat compatible

Z-cord in headband

Clam: 19625

Box: 19823

**ANSI FL1**

Lumens	100
Beam Distance	39m
Runtime	5h

Whether you want to put it on your hardhat or simply on your head, the HL3 is a great all-around head torch for day-to-day use.

**Hinged beam**




Getting it done on a tugboat on the coast of the Pacific ocean.

EMERGENCY AREA LANTERNS



EAL TECHNOLOGY – MODES & DURABILITY

LIGHT MODES



COAST's EAL multi-mode technology allows the user to quickly adjust from energy conserving low light output to area-illuminating high output to anywhere in between. For emergency or night vision purposes switch to solid red mode or flashing red.

LONGEVITY



COAST's EAL energy-efficient LED technology provides users with up to 10 nights of light on one set of batteries, which can be critical in emergency situations, extended power outages and when batteries are in short supply.



Whether you choose the EAL12 (up to 38 hours of light on one set of batteries), or the big EAL20 (up to 80 hours of light on one set of batteries), you can be assured of energy saving technology.

WEATHERPROOF




High-quality materials and durable construction give COAST lanterns excellent weather resistance, making them great for use in emergency situations where there is inclement weather: rain, snow or wind.

REAL TECHNOLOGY – LIGHT CONTROLS

LIGHT DIAL

TURN DIAL TO SELECT LIGHT OUTPUT MODE

PUSH FOR POWER



LIGHT MODES

Go from high to energy saving via a dimmer, solid red and flashing red. Just dial-in what you need.

BATTERY LIFE INDICATOR


Makes it quick and easy to know how much battery life remains: green = full; red = empty



SMART SWITCH

Cycle through to optimal light mode.

5-MODE



HIGH, MEDIUM, ENERGY
SAVING, SOLID RED,
FLASHING RED

4-MODE



ENERGY SAVING, HIGH,
SOLID RED, FLASHING RED





EAL20 4 x D

 Height: 8.25" | 21.0 cm
 Weight: 36.5 oz. | 1.03 kg

 Built-in battery life indicator
 Foldable handle
 5-year warranty

 Clam: -
 Box: 19813



Our most advanced lantern, the EAL20 comes with a battery life indicator, dimming white light control dial, as well as solid red and flashing red modes.



EAL17 4 x D

 Height: 9.9" | 25.2 cm
 Weight: 45.4 oz. | 1.29 kg

 Foldable handle
 5-year warranty

 Clam: -
 Box: 20373

On the worksite, campsite or on the side of the road, the EAL17 is a great stainless steel designed lantern that can either illuminate your space or alert people in times of need.



EAL15 4 x C
SMART SWITCH

Height: 7.5" | 19.0 cm
 Weight: 22 oz. | 624 g



Foldable handle
 5-year warranty

Clam: 19618
 Box: -



On the worksite, campsite or on the side of the road, the EAL15 is a great stainless steel designed lantern that can either illuminate your space or alert people in times of need.

Run-time
up to 50 hours



EAL12 4 x AA
SMART SWITCH

Height: 6.125" | 15.6 cm
 Weight: 11 oz. | 312 g

Foldable handle
 5-year warranty

Clam: -
 Box: 20374

Run-time
up to 38 hours



MULTI-TOOLS



MULTI-TOOL TECH – LIGHTING & TOOLS




LIGHT WHERE YOU NEED IT



COAST multi-tools are packed with practical tools and built-in LED torches to illuminate work surfaces. The spring-loaded pliers head and LED torches make them a great choice for working on the car, under the sink, or other tight spaces.

FUNCTION FEATURES



All implements easily accessible, jaw does not need to be opened.



Spring-loaded pliers for easy one-handed pliers operation.

LED155 Pro Pocket Pliers

Spring-loaded pliers | 3Cr13 Stainless steel | 2 x CR1616



Length: 4.0" | 10.2 cm (closed)

Blade: 3.0" | 7.6 cm

Weight: 9.8 oz. | 278 g

Spring-loaded pliers head with wire cutter

Scissors, Phillips (1) and flathead (3) screwdriver tips, cap lifter, wire stripper, can opener

Sure-grip handle inlays

Semi-rigid sheath

2 x CR1616 batteries included

Clam: 19872

Box: 19871



EASY-ACCESS
TOOLS



LED150 Pro Pocket Pliers

Spring-loaded pliers | 3Cr13 Stainless steel | 2 x CR1616



Length: 4.0" | 10.2 cm (closed)

Blade: 3.0" | 7.6 cm

Weight: 9.8 oz. | 278 g

Spring-loaded pliers head with wire cutter

Scissors, Phillips (1) and flathead (3) screwdriver tips, cap lifter, wire stripper, can opener


Sure-grip handle inlays

Semi-rigid sheath

2 x CR1616 batteries included

Clam: 19848

Box: 19847



EASY-ACCESS
TOOLS



LED145 Pocket Pliers

Spring-loaded pliers | 3Cr13 Stainless steel | 2 x CR1220

 15	TOOLS
 1	LED TORCH

Length: 3.9" | 9.9 cm (closed)

Blade: 1.75" | 4.4 cm

Weight: 10.1 oz. | 286 g

Spring-loaded pliers head with wire cutter

Scissors, file blade with wire stripper, Phillips (1) and flathead (3) screwdriver tips, awl, cap lifter, wire stripper, saw blade, can opener

Sure-grip handle inlays

Semi-rigid sheath

2 x CR1220 batteries included

Clam: 19874

Box: 19873



With 15 tools, the LED145 Multi-Tool will make you prepared to tackle just about any challenge that arises.

LED140 Pocket Pliers

Spring-loaded pliers | 3Cr13 Stainless steel | 2 x CR1220

 15	TOOLS
 1	LED TORCH

Length: 3.9" | 9.9 cm (closed)

Blade: 1.75" | 4.4 cm

Weight: 10.1 oz. | 286 g

Spring-loaded pliers head with wire cutter

Scissors, file blade with wire stripper, Phillips (1) and flathead (3) screwdriver tips, awl, cap lifter, wire stripper, saw blade, can opener

Sure-grip handle inlays

Semi-rigid sheath

2 x CR1220 batteries included

Clam: 19850

Box: 19849



The LED140 is the silver version of the 145, and also comes with 15 tools to tackle just about any challenge that arises.

LED135 Micro Pliers

Spring-loaded pliers | 3Cr13 Stainless steel | 2 × CR927

 14	TOOLS
 1	LED TORCH

Length: 3.0" | 7.6 cm (closed)

Blade: 2.0" | 5.1 cm

Weight: 4.3 oz. | 122 g

Spring-loaded pliers head with wire cutter

Knife blade, saw blade, Phillips (1) and flathead (3) screwdriver tips, bottle opener, wire stripper, awl, file with nail pick, can opener, plus keyring (foldable)

Sure-grip handle inlays

2 × CR927 batteries included

Clam: 19876
Box: 19875



The LED135 comes in a compact size but is still able to squeeze in a total of 14 tools making it a great addition to anyone's keychain or pocket.



LED130 Micro Pliers

Spring-loaded pliers | 3Cr13 Stainless steel | 2 × CR927

 14	TOOLS
 1	LED TORCH

Length: 3.0" | 7.6 cm (closed)

Blade: 2.0" | 5.1 cm

Weight: 4.3 oz. | 122 g

Spring-loaded pliers head with wire cutter

Knife blade, saw blade, Phillips (1) and flathead (3) screwdriver tips, bottle opener, wire stripper, awl, file with nail pick, can opener, plus keyring (foldable)

Sure-grip handle inlays

2 × CR927 batteries included

Clam: 19878
Box: 19877



The LED130 is the silver version of the 135, with the same compact size and 14 tools, making it a great addition to anyone's keychain or pocket.



LED122

Pocket Tool

Liner-Lock | 3Cr13 Stainless steel | 2 x CR1616



TOOLS



LED TORCHES

Length: 4.2" | 10.7 cm (closed)

Blade: 3.0" | 7.6 cm

Weight: 4.6 oz. | 130 g

Knife blade, double-ended bits (Phillips and flat), plus lanyard ring (foldable)

2 x CR1616 batteries included

Clam: 19883

Box: -

Combining two LEDs, a blade, and multiple bits, the LED122 is a perfect compact tool when you find yourself need more than just a pocket knife.



LED120

Pocket Tool

Liner-Lock | 3Cr13 Stainless steel | 2 x CR1616



TOOLS



LED TORCHES

Length: 4.2" | 10.7 cm (closed)

Blade: 3.0" | 7.6 cm

Weight: 4.6 oz. | 130 g

Knife blade, double-ended bits (Phillips and flat), plus lanyard ring (foldable)

2 x CR1616 batteries included

Clam: 19851

Box: -

The LED120 is the silver version of the 122 and combines two LEDs, a blade, and multiple bits, making it a perfect compact tool when you need more than just a pocket knife.



PRODUCT TECH INDEX





	POLYSTEEL 600	POLYSTEEL 400	POLYSTEEL 200	HP7R	HP5R
CLAMPACK #	20781	20779	20777	-	-
BOX #	20782	20780	20778	19906	19905
BATTERY TYPES	4 × AA	4 × AAA	3 × AAA	1 × Lithium Ion / 4 × AAA	1 × Lithium Polymer / 1 × AA
LUMENS Rechargeable HIGH / LOW	-	-	-	300 / 30	185 / 19
LUMENS Alkaline HIGH / MED / LOW	620 / 220 / 64	300 / 105 / 33	250 / 87 / 26	265 / 30	100 / 12
RUN TIME Rechargeable HIGH / LOW	-	-	-	7 h / 33 h	4 h 30 min / 14 h
RUN TIME Alkaline HIGH / MED / LOW	2 h / 4 h 30 min / 34 h	1 h / 3 h 15 min / 15 h	3 h 30 min / 9 h / 35 h	1 h 45 min / 12 h	2 h 30 min / 9 h
BEAM DISTANCE Rechargeable HIGH / LOW	-	-	-	352 m / 111 m	183 m / 56 m
BEAM DISTANCE Alkaline HIGH / LOW	234 m / 134 m / 74 m	194 m / 113 m / 62 m	121 m / 68 m / 37 m	326 m / 111 m	127 m / 45 m
OVERALL SIZE	7.9 in. / 20 cm	5.75 in. / 14.6 cm	5.0 in. / 12.7 cm	6.125 in. / 15.6 cm	4.875 in. / 12.4 cm
WEIGHT (INCL BATT)	12 oz. / 340 g	6.4 oz. / 181 g	4.1 oz. / 116 g	7.2 oz. / 204 g	2.6 oz. / 74 g
PAGE #	18	19	19	22	23



	HP3R	A25R	A22R	A9R	A8R
CLAMPACK #	-	-	-	-	-
BOX #	21232	19854	19853	19852	20372
BATTERY TYPES	1 × Lithium Polymer / 2 × AAA	1 × Lithium Ion / 4 × AAA	1 × Lithium Polymer / 1 × AA	1 × Lithium Polymer	1 × Lithium Polymer
LUMENS Rechargeable HIGH / LOW	245 / 26	725 / 80	340 / 36	-	-
LUMENS Alkaline HIGH / LOW	86 / 10	515 / 64	135 / 17	-	-
RUN TIME Rechargeable HIGH / LOW	1 h 30 min / 6 h	6 h 45 min / 19 h	3 h 15 min / 10 h	3 h	1 h
RUN TIME Alkaline HIGH / LOW	2 h / 26 h	2 h / 11 h	2 h 30 min / 8 h	-	-
BEAM DISTANCE Rechargeable HIGH / LOW	93 m / 31 m	208 m / 67 m	98 m / 31 m	20 m	19 m
BEAM DISTANCE Alkaline HIGH / LOW	55 m / 19 m	173 m / 62 m	60 m / 22 m	-	-
OVERALL SIZE	5.8 in. / 14.8 cm	6.25 in. / 15.9 cm	4.75 in. / 12.1 cm	6.2 in. / 15.7 cm	4.25 in. / 11.0 cm
WEIGHT (INCL BATT)	1.8 oz. / 51 g	10.4 oz. / 295 g	4.6 oz. / 130 g	2.1 oz. / 60 g	0.4 oz. / 11.0 g
PAGE #	24	26	27	28	28



	HP314	HP14	HP7	HP2	HX5
CLAMPACK # BOX #	- 19855	19621 19609	19620 19608	19828 -	20796 20797
BATTERY TYPE	4 × D	4 × AA	4 × AAA	1 × AAA	1 × AA
LUMENS HIGH / MED / LOW	1060 / 150	580 / 225 / 51	345 / 180 / 49	85	130 (Alkaline) 125 (NiMH) 345 (Li Ion)
RUN TIME HIGH / MED / LOW	2 h 45 min / 92 h	1 h 45 min / 14 h / 52 h	2 h / 5 h 45 min / 10 h	2 h 45 min	3 h 45 min (Alkaline) 1 h 15 min (NiMH) 45 min (Li Ion)
BEAM DISTANCE HIGH / MED / LOW	693 m / 261 m	233 m / 142 m / 67 m	211 m / 145 m / 76 m	54 m	79 m (Alkaline) 77 m (NiMH) 130 m (Li Ion)
OVERALL SIZE	17.12 in. / 43.5 cm	8.4 in. / 21.3 cm	5.6 in. / 14.2 cm	4.0 in. / 10.2 cm	4.0 in. / 10.2 cm
WEIGHT (INCL BATT)	49.6 oz. / 1406 g	14.2 oz. / 402 g	7.2 oz. / 204 g	1.4 oz. / 40 g	2.5 oz. / 71 g
PAGE #	32	34	35	35	36



	PX26	PX10	PX1	TX100	TX10	G50	G45
CLAMPACK # BOX #	19626 19607	19639 19603	21288 21289	- 20371	19627 -	19801 19822	19821 19820
BATTERY TYPE	3 × AAA	3 × AAA	3 × AAA	2 × AA	3 × AAA	3 × AAA	3 × AAA
LUMENS HIGH / LOW	265	85	315 / 25	125 (white) 37 (blue) 39 (red)	80	230	150
RUN TIME HIGH / LOW	2 h	8 h 45 min	2 h 15 min / 41 h	13 h (white) 14 h (blue) 14 h (red)	9 h 45 min	2 h 30 min	4 h
BEAM DISTANCE HIGH / LOW	121 m	34 m	131 m / 37 m	96 m (white) 40 m (blue) 39 m (red)	33 m	165 m	37 m
OVERALL SIZE	4.7 in. / 11.9 cm	4.0 in. / 10.2 cm	4.5 in. / 11.4 cm	5.8 in. / 14.7 cm	4.0 in. / 10.1 cm	4.8 in. / 12.2 cm	4.6 in. / 11.7 cm
WEIGHT (INCL BATT)	4.2 oz. / 119 g	3.0 oz. / 85 g	4.6 oz. / 130 g	4.8 oz. / 136 g	3.0 oz. / 85 g	5.8 oz. / 164 g	3.6 oz. / 102 g
PAGE #	36	36	37	37	37	38	38



	G19	G4	A5
CLAMPACK #	19615	20392	-
BOX #	19814	20428 (24-Pack)	19606
BATTERY TYPE	1 × AAA	4 × AG5	1 × AAA
LUMENS HIGH / LOW	-	19	-
RUN TIME HIGH / LOW	2 h 30 min	45 min	6 h
BEAM DISTANCE HIGH / LOW	20 m	24 m	20 m
OVERALL SIZE	4.0 in. / 10.2 cm	2.5 in. / 6.2 cm	3.75 in. / 9.5 cm
WEIGHT (INCL BATT)	2.0 oz. / 57 g	0.4 oz. / 11.3 g	2.0 oz. / 57 g
PAGE #	39	39	40



	FL85	FL75	FL70	FL60	FL44
CLAMPACK #	21341	21339	21337	21297	21419
BOX #	21342	21340	21338	21336	20448
BATTERY TYPE	3 × AAA	3 × AAA	3 × AAA	3 × AAA	3 × AAA
LUMENS HIGH / MED / LOW	540 / 320 / 75	405 / 230 / 53	405 / 230 / 53	300 / 175 / 39	250 / 150 / 34
RUN TIME HIGH / MED / LOW	2 h / 2 h 30 min / 17 h	2 h / 3 h 15 min / 21 h	2 h / 2 h 45 min / 20 h	2 h 45 min / 3 h 30 min / 22 h	3 h 45 min / 4 h 15 min / 28 h
BEAM DISTANCE HIGH / MED / LOW	172 m / 129 m / 63 m	140 m / 105 m / 51 m	140 m / 107 m / 51 m	29 m / 22 m / 10 m	49 m / 38 m / 18 m
OVERALL SIZE	-	-	-	-	-
WEIGHT (INCL BATT)	4.5 oz. / 128 g	3.7 oz. / 105 g	3.6 oz. / 102 g	3.3 oz. / 94 g	3.0 oz. / 85 g
PAGE #	46	46	47	47	48



	FL30	FL11
CLAMPACK #	21332	21422
BOX #	21333	-
BATTERY TYPE	3 × AAA	2 × AAA
LUMENS HIGH / LOW	240 / 32	130 / 40
RUN TIME HIGH / LOW	4 h 30 min / 30 h	4 h 30 min / 10 h
BEAM DISTANCE HIGH / LOW	44 m / 16 m	27 m / 15 m
OVERALL SIZE	-	-
WEIGHT (INCL BATT)	2.9 oz. / 82 g	2.3 oz. / 65 g
PAGE #	49	49



	HL8	HL27	HL7
CLAMPACK # BOX #	19826 19825	19805 19804	20104 20106
BATTERY TYPE	4 x AA	3 x AA	3 x AAA
LUMENS HIGH / MED / LOW	390 / 120 / 25	330 / 1	285 / 4
RUN TIME HIGH / MED / LOW	2 h / 7 h 30 min / 83 h	8 h 30 min / 93 h	1 h 30 min / 70 h
BEAM DISTANCE HIGH / MED / LOW	217 m / 121 m / 55 m	129 m / 7 m	119 m / 13 m
OVERALL SIZE	-	-	-
WEIGHT (INCL BATT)	12.8 oz. / 363 g	6.9 oz. / 196 g	4.4 oz. / 125 g
PAGE #	50	50	52

	HL8R
CLAMPACK # BOX #	- 21429
BATTERY TYPES	Li Ion / 4 x AA
LUMENS Rechargeable HIGH / MED / LOW	800 / 245 / 50
LUMENS Alkaline HIGH / MED / LOW	750 / 245 / 50
RUN TIME Rechargeable HIGH / MED / LOW	4 h 15 min / 12 h / 62 h
RUN TIME Alkaline HIGH / MED / LOW	1 h 15 min / 4 h / 47 h
BEAM DISTANCE Rechargeable HIGH / MED / LOW	214 m / 119 m / 55m
BEAM DISTANCE Alkaline HIGH / LOW	207 m / 119 m / 55 m
WEIGHT (INCL BATT)	12.3 oz. / 349 g
PAGE #	51



	HL7R	HL6	HL5	HL4	HL3
CLAMPACK # BOX #	20107 20115	20098 20102	19623 19824	19802 19612	19625 19823
BATTERY TYPE	3 x Ni-MH Rechargeable	3 x AAA	3 x AAA	3 x AAA	3 x AAA
LUMENS HIGH / MED / LOW	240 / 4	285 / 4	175	145	100
RUN TIME HIGH / MED / LOW	1 h 30 min / 40 h	1 h 30 min / 70 h	3 h 15 min	4 h	5 h
BEAM DISTANCE HIGH / MED / LOW	104 m / 13 m	119 m / 13 m	56 m	50 m	39 m
OVERALL SIZE	-	-	-	-	-
WEIGHT (INCL BATT)	4.4 oz. / 125 g	4.2 oz. / 119 g	4.4 oz. / 125 g	4.4 oz. / 125 g	4.4 oz. / 125 g
PAGE #	52	53	53	54	54



	EAL20	EAL17	EAL15	EAL12
CLAMPACK #	-	-	19618	-
BOX #	19813	20373	-	20374
BATTERY TYPE	4 x D	4 x D	4 x C	4 x AA
RUN TIME HIGH / MED / LOW	80 h	30 h / 50 h	15 h / 33 h / 50 h	22 h / 38 h
OVERALL SIZE (HEIGHT)	8.25 in. / 21.0 cm	9.9 in. / 25.2 cm	7.5 in. / 19.0 cm	6.125 in. / 15.6 cm
WEIGHT (INCL BATT)	36.5 oz. / 1.03 kg	45.4 oz. / 1.29 kg	22.0 oz. / 624 g	11.0 oz. / 312 g
PAGE #	59	59	60	60



	LED155	LED150	LED145	LED140
CLAMPACK #	19872	19848	19874	19850
BOX #	19871	19847	19873	19849
BATTERY TYPE	2 x CR1616	2 x CR1616	2 x CR1220	2 x CR1220
BLADE LENGTH	3.0 in. / 7.6 cm	3.0 in. / 7.6 cm	1.75 in. / 4.4 cm	1.75 in. / 4.4 cm
OVERALL LENGTH	4.0 in. / 10.2 cm (closed)	4.0 in. / 10.2 cm (closed)	3.9 in. / 9.9 cm (closed)	3.9 in. / 9.9 cm (closed)
WEIGHT	9.8 oz. / 278 g	9.8 oz. / 278 g	10.1 oz. / 286 g	10.1 oz. / 286 g
LOCK SYSTEM	LINER-LOCK	LINER-LOCK	-	-
BLADE MATERIAL	3Cr13	3Cr13	3Cr13	3Cr13
HANDLE MATERIAL	Stainless	Stainless	Stainless	Stainless
PAGE #	63	63	64	64



	LED135	LED130	LED122	LED120
CLAMPACK #	19876	19878	19883	19851
BOX #	19875	19877	-	-
BATTERY TYPE	2 x CR927	2 x CR927	2 x CR1616	2 x CR1616
BLADE LENGTH	2.0 in. / 5.1 cm	2.0 in. / 5.1 cm	3.0 in. / 7.6 cm	3.0 in. / 7.6 cm
OVERALL LENGTH	3.0 in. / 7.6 cm (closed)	3.0 in. / 7.6 cm (closed)	4.2 in. / 10.7 cm (closed)	4.2 in. / 10.7 cm (closed)
WEIGHT	4.3 oz. / 122 g	4.3 oz. / 122 g	4.6 oz. / 130 g	4.6 oz. / 130 g
LOCK SYSTEM	-	-	LINER-LOCK	LINER-LOCK
BLADE MATERIAL	3Cr13	3Cr13	3Cr13	3Cr13
HANDLE MATERIAL	Stainless	Stainless	Stainless	Stainless
PAGE #	65	65	66	66





COAST
®
LIGHTS • KNIVES • MULTI-TOOLS

8033 NE HOLMAN • PORTLAND, OR 97218 USA
TEL 503-234-4545 • FAX 503-234-4422

COASTportland.com • sales@COASTportland.com

facebook: COASTproducts • twitter: @COASTproducts • instagram: @COASTportland