



NATIONAL
SAFETY APPAREL®

DRIFIRE 4.4 FR Coverall



Specs

Product Code DF2-450C-CA-NB_ _

Stock Sizes SM-3X, RG | MD-3X, TL

Stock Colors

Fabric / Material 4.4 oz. DRIFIRE® Blend

Compliance

Arc Rating	8 cal/cm ²
CAT Level	CAT 2
Standards	<ul style="list-style-type: none">• NFPA 70E• NFPA 2112• ASTM F1506• CSA Z462• OSHA 1910.269

Features

Features	<ul style="list-style-type: none">• Dual certified to protect against flash fire and arc flash hazards• Lightweight, breathable fabric for maximum comfort• Moisture-wicking technology to keep you dryer• Inherently flame resistant, FR protection will not wash/wear out• Odor control technology• Quickly identify compliance with exterior labeling• Lightweight yet durable fabric• 2 front pockets• FR fabric will not melt, drip, or ignite• Made in the USA
----------	---

Product Care

Product Care	<ul style="list-style-type: none">• READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.• DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners. DO NOT iron.• Wash/Laundering Instructions: Machine wash warm. Tumble dry low.• Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.• If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	---

Sizing Chart

DRIFIRE® 4.4™ Coverall

Size	Chest	Inseam Length	
SM	30" - 34"	Regular	31"
		Tall	33"
MD	34" - 38"	Regular	31"
		Tall	33"
LG	38" - 42"	Regular	31"
		Tall	33"
XL	42" - 46"	Regular	31"
		Tall	33"
2X	46" - 50"	Regular	31"
		Tall	33"
3X	50" - 54"	Regular	31"
		Tall	33"
4X	54" - 58"	Regular	31"
		Tall	33"
5X	58" - 62"	Regular	31"
		Tall	33"