

DRIFIRE 4.4 FR Work Shirt



Specs

Product Code	DF2-CM-450C-LS-NB-__
Stock Sizes	SM-5X, RG MD-5X, TL
Stock Colors	
Fabric / Material	4.4 oz. DRIFIRE® Blend

Compliance

Arc Rating	8 cal/cm²
CAT Level	CAT 2
Standards	<ul style="list-style-type: none">• NFPA 70E• NFPA 2112• ASTM F1506• CSA Z462• OSHA 1910.269

Features

Features	<ul style="list-style-type: none">• Dual certified to protect against flash fire and arc flash hazards• Inherently flame resistant, FR protection will not wash/wear out• Lightweight, breathable fabric for maximum comfort• Odor control technology• Quickly identify compliance with exterior labeling• Moisture-wicking technology to keep you dryer• FR fabric will not melt, drip, or ignite• Ribbed collar maintains shape• Made in the USA
----------	--

Product Care

Product Care	<ul style="list-style-type: none">• READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.• DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners. DO NOT iron.• Wash/Laundering Instructions: Machine wash warm. Tumble dry low.• Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.• If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	---

Sizing Chart

NSA, VIZABLE® & DRIFIRE® Work Shirts (SHR-RG)***Does not Include DRIFIRE HI-VIs Work Shirts**

Size	Chest	Center Back	Sleeve Length
SM	32" - 35"	31.375"	34.5"
MD	36" - 39"	31.875"	35.5"
LG	40" - 43"	32.375"	36.5"
XL	44" - 47"	32.875"	37.5"
2X	48" - 51"	33.375"	38.5"
3X	52" - 55"	33.875"	39.5"
4X	56" - 59"	34.125"	40.5"
5X	60" - 63"	34.625"	42.5"