



Bullhead
Safety[®] Eyewear

Comfort - Protection - Performance

Table of Contents

3	LENS SELECTION/CUSTOM IMPRINTING
4	TECHNOLOGY
6	POLARIZED/PHOTOCHROMIC
7	SWORDFISH READERS/TORRENT READERS
8	SWORDFISH
9	DORADO
10	WALLEYE/TETRA
11	MOJARRA
12	MAKI
13	JAVELIN
14	STINGER
16	SHRIMP
17	PAVON
18	PICUDA/KAKU
19	TORRENT
20	TORRENT MINI/TORRENT FOAM LINED
21	STEELHEAD FOAM LINED
22	OVER GLASS/DISPLAYS
23	ACCESSORIES

Lens Selection



Polarized VLT 16%

Lenses provide protection in bright light conditions. Polarized filtration eliminates glare and reduces eye fatigue. Good for all outdoor applications.



Variable Tint VLT 16%/89%

Lenses chemically react to UV rays and change to smoke when outdoors and then transition back to clear when indoors. Good for indoor and outdoor applications.



Silver Mirror VLT 10%

Lenses reflect light in bright conditions, offering the lowest level of visible light transmission for general use. Good for bright outdoor applications.



Colored Mirror VLT 12%

Lenses reflect light in bright conditions while providing glare reduction. Featuring-precision lens coating, colored mirror block blue light resulting in a sharper and clearer view. Good for bright outdoor applications.



Smoke VLT 16%

Lenses provide excellent protection from bright sunlight without causing distortion of colors. Good for outdoor applications.



Brown VLT 12%

Lenses block blue light and bright sunlight resulting in a crisp clear view while reducing eye fatigue. Good for bright outdoor applications.



Indoor/Outdoor VLT 50%

Lenses have a light flash mirror coating which allows for 50% light transmission. Dark enough to reduce bright sunlight outdoors and still light enough to be worn indoors. Good for indoor and outdoor conditions.



Clear VLT 89%

Lenses offer a high level of light transmission while blocking harmful UV rays. Good for indoor and low light applications.



Yellow VLT 80%

Lenses enhance brightness of visible light while blocking low levels of blue light. Good for low light applications.



Light Blue VLT 67%

Lenses filter out yellow light which decreases eye fatigue while enhancing clarity. Good for environments that have incandescent and fluorescent lighting.



Orange VLT 70%

Lenses enhance brightness of visible light while blocking mid-range levels of blue light. Good for low light applications.

CUSTOM IMPRINTING

All Bullhead safety glasses can be custom printed with your logo. Great for advertising and marketing your company's name. Also good to give to customers and employee's for incentives and promotional purposes.

● **Quick:**

7 day turn around (in-stock colors & products)

● **Customized:**

Your logo, your message (up to 2 color)

● **Economical:**

No setup or plate fee with great prices

Contact your sales rep for more information.




Logo Example

All Bullhead products exceed ANSI Z87.1 - 2010 high impact testing

B BALLISTIC RATED

MIL-PRF-32432

Select Bullhead styles meet the military specification for ballistic fragmentation impact protection.



0.15 caliber, 5.85 grain cylindrical projectile made of cold rolled, annealed steel tumbling at 660 feet per second.



Flame Resistant Foam Padding

Flame resistant foam padding forms a seal providing protection from dust, airborne particles and orbital impact. 2 types: 1. Removable (Maki & Walleye) 2. Permanent (Steelhead & Torrent)



Removable Foam



Maki



Walleye



Steelhead





Torrent Foam




Polarized

Polarized lenses filter out bent light waves eliminating glare, eye fatigue and decreasing reflection off surfaces such as water, sand, and snow.



Polarized



Without Polarized



Variable Tint (Photochromic)

Photochromic lenses darken when exposed to ultraviolet (UV) light. When the UV light source is removed (for example by walking indoors), the lenses return to clear.

Indoors the lenses turn clear.



Exposed to the outdoor (UV) light, the lenses darken.



AF Anti-Fog
Bullhead applies a double dip coat of FSI brand hydrophilic Anti-Fog lens treatment to all Anti-Fog lenses. The anti-fog treatment greatly reduces fog in hot, humid and variable temperature environments.

This glass was tested using a steam machine. The left lens was treated with an FSI double dip hydrophilic application. The right lens had no treatment and it fogged immediately.




PL Precision Lens
Bullhead Precision Lenses manage blue light ensuring objects appear sharper and clearer while reducing eyestrain.



Precision Lens



Without Precision Lens



Hard Coat:
Bullhead lenses are hard coat treated providing a scratch resistant surface.




Hard Coated




Not Hard Coated

UV Rated:
All Bullhead lenses (including clear) meet or exceed UV protection standards by filtering out 99.9% of dangerous UV light up to 400 nanometers.




Dangerous UV wavelengths of the light spectrum are eliminated, leaving only good visible light.

Tapered Lens:
Tapered lenses eliminate distortion by focusing light directly to the eye for full peripheral clarity. This helps reduce eye fatigue, depth perception issues & headaches.




Tapered Lens



Without Tapered Lens

Ergonomic Fit:
Bullhead's lightweight, flexible frame and temples contour to the natural slope of the head relieving pressure points.

The top reason users don't wear their eyewear is lack of comfort. This is due to painful pressure points that can cause headaches and discomfort.



B

Polarized



Swordfish[®]
BH 106 129

Lens: Polarized Blue Mirror
Frame Color: Matte Black



Maki[™]
BH 1457 12

Lens: Polarized Silver Mirror
Frame Color: Shiny Black



Stinger[™]
BH 617 12

Lens: Polarized Smoke
Frame Color: Dark Gray



Javelin[™]
BH 125 16 12

Lens: Polarized Green Mirror
Frame Color: Shiny Black



Mojarra[™]
BH 117 11

Lens: Polarized Brown
Frame Color: Crystal Brown

B Swordfish[®] Photochromic



BH 106 12 13

Lens: Polarized Photochromic
Frame Color: Matte Black



BH 106 13

Lens: Photochromic
Frame Color: Matte Black

B *Swordfish[®] Readers*



Clear *Swordfish[®]*

Lens: Clear

Frame Color: Matte Black

- 1.0 Diopter - BH106110
- 1.5 Diopter - BH106115
- 2.0 Diopter - BH106120
- 2.5 Diopter - BH106125

Smoke *Swordfish[®]*

Lens: Smoke

Frame Color: Matte Black

- 1.0 Diopter - BH106310
- 1.5 Diopter - BH106315
- 2.0 Diopter - BH106320
- 2.5 Diopter - BH106325

* Adjustable nose pads *



Frame Width: 132 mm - Weight: 24 Grams - Base Curve: 8

Torrent[™] Readers

Clear *Torrent[™]*

Lens: Clear

Frame Color: Crystal Clear

- 1.0 Diopter - BH11110
- 1.5 Diopter - BH11115
- 2.0 Diopter - BH11120
- 2.5 Diopter - BH11125

Smoke *Torrent[™]*

Lens: Smoke

Frame Color: Matte Black


- 1.0 Diopter - BH13310
- 1.5 Diopter - BH13315
- 2.0 Diopter - BH13320
- 2.5 Diopter - BH13325



Frame Width: 135 mm - Weight: 24 Grams - Base Curve: 10

BH 10116AF

Lens: Green Mirror
 Frame Color: Crystal Clear

PL AF

* Adjustable nose pads *

P PL**BH 106129**

Lens: Polarized Blue Mirror
 Frame Color: Matte Black

P VT**BH 1061213**

Lens: Polarized Photochromic
 Frame Color: Matte Black

AF**BH 1031AF**

Lens: Clear
 Frame Color: Crystal Black

VT**BH 10613**

Lens: Photochromic
 Frame Color: Matte Black

BH 1067

Lens: Silver Mirror
 Frame Color: Matte Black

**AF****BH 1063AF**

Lens: Smoke
 Frame Color: Matte Black

PL**BH 10711**

Lens: Brown Flash Mirror
 Frame Color: Crystal Brown



BH943AF
Lens: Dark Smoke
Frame Color: Crystal Black



BH9117
Lens: Silver Mirror
Frame Color: Red to Black



BH9187
Lens: Silver Mirror
Frame Color: White



BH969
Lens: Blue Mirror
Frame Color: Matte Black



BH9711
Lens: Brown Flash Mirror
Frame Color: Crystal Brown



BH991AF
Lens: Clear
Frame Color: Shiny Pearl Gray

Frame Width: 140 mm - Weight: 29 Grams - Base Curve: 8

B

Walleye™

* PVC Nose Pads *

AF

BH 15ES

* Optional break away elastic strap available for all Walleye's. *

BH 1563AF

Lens: Smoke
Frame Color: Matte Black



BH 15G

* Optional removable foam gasket available for all Walleye's. *



AF

BH 1567AF

Lens: Silver Mirror
Frame Color: Matte Black



AF

BH 1561AF

Lens: Clear
Frame Color: Matte Black

Frame Width: 132 - Weight: 30 Grams - Base Curve: 8

B

Tetra™

* Ratchet Temples pivot 19° *

AF

* Adjustable nose piece *

BH831AF

Lens: Clear
Frame Color: Crystal Gray



AF

BH853F

Lens: Smoke
Frame Color: Shiny Black



AF

BH856AF

Lens: Indoor / Outdoor
Frame Color: Shiny Black

Frame Width: 132 - Weight: 24 Grams - Base Curve: 8



P PL

BH11711

Lens: Polarized Brown
Frame Color: Crystal Brown



BH1133

Lens: Dark Smoke
Frame Color: Crystal Black



PL

BH11108

Lens: Brown
Frame Color: Woodland Camo



PL

BH1169

Lens: Blue Mirror
Frame Color: Matte Black



BH1134

Lens: Yellow
Frame Color: Crystal Black



BH1191

Lens: Clear
Frame Color: Shiny Pearl Gray

**BH 1419AF**

Lens: Blue Mirror
 Frame Color: Crystal Clear

**BH 1457 12**

Lens: Polarized Silver Mirror
 Frame Color: Shiny Black

**BH 14G**


* Optional removable foam
 gasket available for all Maki's. *

**BH 14187AF**

Lens: Silver Mirror
 Frame Color: White

**BH 14183AF**

Lens: Smoke
 Frame Color: White

**BH 1478AF**

Lens: Brown
 Frame Color: Crystal Brown

**BH 1433AF**

Lens: Smoke
 Frame Color: Crystal Black

**BH 1466AF**


Lens: Indoor / Outdoor
 Frame Color: Matte Black

**BH 1431AF**

Lens: Clear
 Frame Color: Crystal Black

**BH 12 108****Lens:** Brown**Frame Color:** Woodland Camo**BH 12 137****Lens:** Silver Mirror**Frame Color:** Black to Orange**BH 12 33****Lens:** Dark Smoke**Frame Color:** Crystal Black**BH 12 516 12****Lens:** Polarized Green Gradient Mirror**Frame Color:** Shiny Black**BH 12 610****Lens:** Red Mirror**Frame Color:** Matte Black**BH 12 714****Lens:** Copper**Frame Color:** Crystal Brown**BH 12 91****Lens:** Clear**Frame Color:** Shiny Pearl Gray

**BH6117****Lens:** Silver Mirror**Frame Color:** Shiny Black to Silver**P****BH61712****Lens:** Polarized Smoke**Frame Color:** Dark Gray**AF****BH633AF****Lens:** Smoke**Frame Color:** Crystal Black**BH654****Lens:** Yellow**Frame Color:** Shiny Black**BH691****Lens:** Clear**Frame Color:** Shiny Pearl Gray**AF****BH691AF****Lens:** Clear**Frame Color:** Shiny Pearl Gray



BH6 108AF

Lens: Brown
Frame Color: Woodland Camo



BH6 1084AF

Lens: Yellow
Frame Color: Woodland Camo



BH6 103AF

Lens: Smoke
Frame Color: Woodland Camo



BH6 101AF

Lens: Clear
Frame Color: Woodland Camo



BH666

Lens: Indoor / Outdoor
Frame Color: Shiny Black

Frame Width: 144 mm - Weight: 30 Grams - Base Curve: 9

**BH7615AF**

Lens: Orange

Frame Color: Matte Black

**BH763AF**


Lens: Smoke

Frame Color: Matte Black

**BH761AF**

Lens: Clear

Frame Color: Matte Black

**BH766AF**

Lens: Indoor / Outdoor

Frame Color: Matte Black

**BH764AF**

Lens: Yellow

Frame Color: Matte Black




BH584

Lens: Yellow
Frame Color: Crystal Yellow



BH578

Lens: Brown
Frame Color: Crystal Brown



BH511

Lens: Clear
Frame Color: Crystal Clear



AF



BH516

Lens: Indoor / Outdoor
Frame Color: Crystal Clear



BH511AF

Lens: Clear
Frame Color: Crystal Clear



BH5410

Lens: Rainbow Mirror
Frame Color: Frosted Black



BH525

Lens: Light Blue
Frame Color: Crystal Blue



AF

BH543AF

Lens: Smoke
Frame Color: Crystal Black



BH543

Lens: Smoke
Frame Color: Crystal Black

Picuda™



BH467
Lens: Silver Mirror
Frame Color: Matte Black



BH461
Lens: Clear
Frame Color: Matte Black



BH466
Lens: Indoor / Outdoor
Frame Color: Matte Black



BH461AF
Lens: Clear
Frame Color: Matte Black



BH464
Lens: Yellow
Frame Color: Matte Black



BH463
Lens: Smoke
Frame Color: Matte Black

Frame Width: 140 mm - Weight: 27 Grams - Base Curve: 9

Kaku™



BH353
Lens: Smoke
Frame Color: Shiny Black



BH361
Lens: Clear
Frame Color: Shiny Black



BH364
Lens: Yellow
Frame Color: Shiny Black


Frame Width: 140 mm - Weight: 28 Grams - Base Curve: 4



BH 149
Lens: Blue Mirror
Frame Color: Frosted Black



BH 147
Lens: Silver Mirror
Frame Color: Frosted Black



BH 111
Lens: Clear
Frame Color: Crystal Clear
(Or BH111UC - No hard coat lens treatment)



BH 111AF
Lens: Clear
Frame Color: Crystal Clear



BH 125
Lens: Light Blue
Frame Color: Crystal Blue



BH 133
Lens: Smoke
Frame Color: Crystal Black
(Or BH133UC - No hard coat lens treatment)



BH 133AF
Lens: Smoke
Frame Color: Crystal Black



BH 136
Lens: Indoor / Outdoor
Frame Color: Crystal Black



BH 134
Lens: Yellow
Frame Color: Crystal Yellow

Torrent Mini



BH13163

Lens: Smoke

Frame Color: Crystal Black



BH12165

Lens: Light Blue

Frame Color: Crystal Blue



BH11161

Lens: Clear

Frame Color: Crystal Clear



BH13164

Lens: Indoor / Outdoor

Frame Color: Crystal Black

Frame Width: 120 mm - Weight: 18 Grams - Base Curve: 10

Torrent Foam Lined



BH13153AF

Lens: Smoke

Frame Color: Crystal Black



BH1151AF

Lens: Clear

Frame Color: Crystal Clear



BH13156AF

Lens: Indoor / Outdoor

Frame Color: Crystal Black

B Steelhead™ Foam Lined



AF 🔥

BH 13147AF
Lens: Silver Mirror
Frame Color: Shiny Red



AF 🔥

BH 1363AF
Lens: Smoke
Frame Color: Matte Black



AF 🔥

BH 1364AF
Lens: Yellow
Frame Color: Matte Black



AF 🔥

BH 1366AF
Lens: Indoor / Outdoor
Frame Color: Matte Black



AF 🔥

BH 1391AF
Lens: Clear
Frame Color: Shiny Pearl Gray

Frame Width: 136 mm - Weight: 35 Grams - Base Curve: 8

Over Glass



BH233

Lens: Smoke

Frame Color: Crystal Black



BH291

Lens: Clear

Frame Color: Shiny Pearl Gray

* Over Glass styles accommodates an Rx glass with a 5 base curve *

Frame Width: 144 mm - Weight: 38 Grams - Base Curve: 2

Displays



BHDL 10

10 Piece counter locking display



BHD36

36 Piece two-sided counter display



BHDF60

60 Piece one-sided floor display



BHDF80

80 Piece two-sided floor display (Custom designed to hold gloves and/or glasses)



BHDFHYB

Four-sided glove and glasses floor display (Custom designed to hold up to 200 gloves and 80 glasses)

Accessories



BHMB
Microfiber Bag



BHR1
Cotton Retainer Cord



GC12
12 Piece Glasses Carrying Case



GC24
24 Piece Glasses Carrying Case



BHHC
Hard Case with Belt/Keys Loop



BHR2
Elastic Retainer Cord



BHLC600
Lens Cleaning Station



BHMC
Microfiber Cleaning Cloth




BHR3
Stainless Steel Retainer Cord



BHR4
String Retainer Cord



BHLC21
Lens Cleaning Towelettes



Bullhead
Safety® Eyewear

*13915 Radium St. N.W.
Ramsey, MN 55303
Phone: 763-450-0110
Fax: 763-450-0990
E-Mail: Sales@Bullheadsafety.com
www.bullheadsafety.com*