



model 7501 BL

120V Insulated Blanket For 7501

FEATURES & BENEFITS

TEMPERED WATER

Heated, insulated blanket provides ANSI compliant tempered water in operating temperatures to -30° F (-34° C). Unit will stay tempered in non-extreme outdoor conditions (below 100° F (38° C)). Mounted over the Haws model 7501.

OPTIONS

- ❑ 120V Insulated, Portable Blanket (Haz Loc): Model 7501BLH NEMA 4 heated, insulated blanket to provide ANSI compliant tempered water in operating temperatures to -30° F (-34° C). Rated for hazardous locations.
- ❑ 240V Insulated Blanket For 7501: Model 7501BL240 NEMA 4 heated, insulated blanket to provide ANSI compliant tempered water in operating temperatures to -30° F (-34° C).
- ❑ 240V Insulated, Portable Blanket (Haz Loc): Model 7501BL240H NEMA 4 heated, insulated 240V blanket to provide ANSI compliant tempered water in operating temperatures to -30° F (-34° C). Rated for hazardous location Class 1, Div 2.


For more information, visit www.hawscos.com or call (888) 640-4297.




SPECIFICATIONS

Model 7501BL NEMA 3R heated, insulated blanket to provide ANSI compliant tempered water in operating temperatures to -30°F (-34° C). The self-contained blanket easily installs on to existing model 7501 units. 120V, 50Hz electrical requirement with supplied 8' GFCI power cord. Eyewash and heating blanket offered as a package or individually. Voltage and Haz Loc options available. IAPMO EGS certified to CSA C22.2 No. 88, UL 499 and UL 1951.

APPLICATIONS



ELECTRICAL SCHEMATIC

				1455 KLEPPE LANE SPARKS, NEVADA 89431 (775) 359-4712 FAX (775) 359-7424 E-MAIL: HAWS@HAWS.CO.COM WEBSITE: WWW.HAWS.CO.COM			
ECN NO. 5086	REVISED PER BY: ECN: 5139 VWC	MODEL(S)		7501BL / 7501BL240		PART NUMBER 0510000497.D	
DRAWN: MJ	DATE: 06/28/16	CHK'D: VWC	ELECTRICAL SCHEMATIC		REVISION 2		
APPROVED: FV	DATE: 09/21/16	SCALE: 1:1	DRAWING TYPE: INSTALLATION	SIZE: A	SHEET 1 OF 1		