

# HAMMERS, CHISELS, PUNCHES, & PRY BARS.

Blackhawk™ by Proto® tools comprise of an assortment of striking and struck products. Both categories have the right mix of products to meet basic automotive, fleet maintenance and light industrial applications. (Other hammers available in the Stanley® Hand Tool section.)



**Blackhawk**  
BY PROTO

# Hammers, Chisels, Punches & Prybars



## BALL PEIN HAMMERS

Item No.	Head Weight	Length	Weight
HT-1005-1	16 oz.	14"	1.49 lbs.
HT-1007-1	24 oz.	15"	2.10 lbs.
HT-1008-1	32 oz.	16"	2.83 lbs.



## SOFTFACE HAMMERS

- Tough, replaceable, molded plastic head.

Item No.	Head Weight	Length	Total Weight
HT-1452-1	10.40 oz.	12.25"	16.57 oz.
HT-1453-1	6.34 oz.	12.25"	12.60 oz.
HT-1452T-1	Replacement tip (1 Tip per package)		1.4 oz.



## RUBBER MALLET

- High grade rubber head pinned to the handle.

Item No.	Head Weight	Length	Weight
HT-1255	0.8 lbs.	13.25"	1.2 lbs.



# Hammers, Chisels, Punches & Prybars

## 14-PIECE CHISEL AND PUNCH SET

• Weight: 3.81 lbs.

Item No.	Contents	Description
CT-114	CT-1003	5/16" Hand Cold Chisel
	CT-1004	3/8" Hand Cold Chisel
	CT-1006	1/2" Hand Cold Chisel
	CT-1008	5/8" Hand Cold Chisel
	CT-1010	3/4" Hand Cold Chisel
	CT-1156	1/2" Flat Cape Chisel
	CT-1254	3/8" Diamond Point Chisel
	CT-1304	7/16" Center Punch 5-1/2" L
	CT-1314	3/8" Prick Punch 5" L
	CT-1453	5/16" Pin Punch 5" L
	CT-1454	5/16" Pin Punch 5-1/4" L
	CT-1456	5/16" Pin Punch 5-1/2" L
	CT-1464	3/8" Pin Punch 7" L
	CT-1466	1/2" Pin Punch 7" L
		Pouch



## 5-PIECE PIN PUNCH SET

• Weight: 0.88 lbs.

Item No.	Contents	Description
CT-205	CT-1453	5/16" Pin Punch 5" L
	CT-1454	5/16" Pin Punch 5-1/4" L
	CT-1456	5/16" Pin Punch 5-1/2" L
	CT-1464	3/8" Pin Punch 7" L
	CT-1466	1/2" Pin Punch 7" L
		Pouch



## 5-PIECE COLD CHISEL SET

• Weight: 2.30 lbs.

Item No.	Contents	Description	Bit/Edge	Length
CT-105	CT-1003	5/16"	3/8"	5-1/4"
	CT-1004	3/8"	7/16"	5-1/2"
	CT-1006	1/2"	5/8"	6-1/2"
	CT-1008	5/8"	3/4"	7"
	CT-1010	3/4"	7/8"	7-1/2"
				Pouch



Hammers, Chisels, Punches & Prybars

# Hammers, Chisels, Punches & Prybars



## COLD CHISELS

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1003	5/16"	3/8"	5-1/4"	0.02 lbs.
CT-1004	3/8"	7/16"	5-1/2"	0.18 lbs.
CT-1006	1/2"	5/8"	6-1/2"	0.37 lbs.
CT-1008	5/8"	3/4"	7"	0.60 lbs.
CT-1010	3/4"	7/8"	7-1/2"	0.95 lbs.

ASME B107.47M



## ROUND NOSE CHISEL

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1204	3/8"	1/4"	5-1/2"	0.17 lbs.

ASME B107.47M



## DIAMOND POINT CHISEL

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1254	3/8"	3/16"	5"	0.15 lbs.

ASME B107.47M



## CAPE CHISEL

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1156	3/8"	1/4"	5-1/2"	0.17 lbs.

ASME B107.47M



## LONG COLD CHISELS

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1108	5/8"	3/4"	12"	1.07 lbs.
CT-1110	3/4"	7/8"	12"	1.55 lbs.

ASME B107.47M




# Hammers, Chisels, Punches & Prybars

## HAND PUNCH

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1404	3/8"	3/16"	5"	0.14 lbs.

ASME B107.48M



## LONG TAPER PUNCHES

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1554	1/2"	5/32"	8-1/2"	0.36 lbs.
CT-1556	1/2"	3/16"	9"	0.37 lbs.
CT-1558	5/8"	5/16"	11"	0.76 lbs.

ASME B107.48M



## CENTER PUNCHES

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1303	3/8"	5/32"	5"	0.12 lbs.
CT-1304	7/16"	3/16"	5-1/2"	0.20 lbs.
CT-1306	1/2"	1/4"	6"	0.28 lbs.


ASME B107.48M



## PIN PUNCHES

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1453	5/16"	1/8"	5"	0.09 lbs.
CT-1454	5/16"	5/32"	5-1/4"	0.10 lbs.
CT-1456	5/16"	3/16"	5-1/2"	0.10 lbs.
CT-1464	3/8"	1/4"	7"	0.19 lbs.
CT-1466	1/2"	5/16"	7"	0.33 lbs.

ASME B107.48M



# Hammers, Chisels, Punches & Prybars



## ALIGNING PUNCH

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1509	5/8"	1/4"	11"	0.76 lbs.

ASME B107.48M



## SCRIBING PUNCH

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1314	3/8"	5/32"	5"	0.13 lbs.

ASME B107.48M



## PRY BARS

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1617	1/2"	1-15/16"	15"	0.83 lbs.
CT-1620	5/8"	2-5/8"	18"	1.57 lbs.

ASME B107.60M



## PINCH BARS

Item No.	Size Stock	Bit/Edge	Length	Weight
CT-1606	1/2"	5/8"	14"	0.70 lbs.
CT-1610	5/8"	3/4"	16"	1.21 lbs.

ASME B107.60M

