



Professional Meter Stick - 39.37" Length

39.37" = 1 Meter

- Bright anodized extruded aluminum
- Easy-to-read black graduations
- Convenient metric conversion tables printed on back

No. SLM39 **Description** Meter Stick = 39.37"



Professional Rules or Yard Sticks

- Bright anodized extruded aluminum
- Easy-to-read black graduations
- Rules are reverse reading

| No. | Description |
|------------|--|
| SLAR12 | Rule - 12"x1-1/8" (304.8mm x 28.575mm) |
| SLAR18 | Rule - 18"x1-1/8" (457.2mm x 28.575mm) |
| SLAR24 | Rule - 24"x1-1/8" (609.6mm x 28.575mm) |
| SLAYS36 | Yard Stick 1 Sided - 36"x1-1/8" (914.4mm x 28.575mm) |
| SLAYS362 | Yard Stick 2 Sided - 36"x1-1/8" (914.4mm x 28.575mm) |




Professional Straightedges

7 Sizes 18" - 96"

"T" Denotes THICK 3/16" Blade

- Bright anodized extruded aluminum
- Easy-to-read black graduations
- Reverse reading

| No. | Description |
|------------|---|
| SLASE18 | 18"x2"x1/8" (457.2mm x 50.8mm x 3.175mm) |
| SLASE18T | 18"x2"x3/16" (457.2mm x 50.8mm x 4.76mm) |
| SLASE24 | 24"x2"x1/8" (609.6mm x 50.8mm x 3.175mm) |
| SLASE24T | 24"x2"x3/16" (609.6mm x 50.8mm x 4.76mm) |
| SLASE36 | 36"x2"x1/8" (914.4mm x 50.8mm x 3.175mm) |
| SLASE36T | 36"x2"x3/16" (914.4mm x 50.8mm x 4.76mm) |
| SLASE48 | 48"x2"x1/8" (1219.2mm x 50.8mm x 3.175mm) |
| SLASE48T | 48"x2"x3/16" (1219.2mm x 50.8mm x 4.76mm) |
| SLASE60 | 60"x2"x1/8" (1524mm x 50.8mm x 3.175mm) |
| SLASE72 | 72"x2"x1/8" (1828.8mm x 50.8mm x 3.175mm) |
| SLASE72T | 72"x2"x3/16" (1828.8mm x 50.8mm x 4.76mm) |
| SLASE96 | 96"x2"x1/8" (2438.4mm x 50.8mm x 3.175mm) |



Soffit Square

Polished steel used in metal stud framing to square soffit track and studs. Special 2" wide notch in square fits over stud track to allow correct alignment with no track / lip interference. Easy-to-read 1/8" and 1/4" graduations.


No. DW242 **Description** 12"x8"



Professional Drywall Square with Lip

- Bright, clear anodized aluminum
- Easy-to-read black numbers and 1/16" graduations
- Perfect for jobs where a smaller tool is needed
- Lip catches board for easy placement and cutting of drywall board or sheet material

No. SL694 **Description** 16"x24" with Lip (406.4mm x 609.6mm)





SANDS T-SQUARES

Professional Drywall T-Squares

- Available in 48" and 54" lengths, 1/8" and 3/16" thickness
- 16" arm for locating studs
- Bright clear anodized extruded aluminum or easy-to-spot yellow painted aluminum
- Four rivet construction designed for strength
- Easy-to-read black graduations

1/8" Thick Blade (3.175mm)

| No. | Length | Carton Qty |
|-------|----------------|------------|
| SL672 | 48" (1219.2mm) | 2 |
| SL676 | 48" (1219.2mm) | 6 |

Heavy-Duty 3/16" Thick Blade (4.76mm)

Bright Anodized Aluminum

| No. | Length | Carton Qty |
|-------|----------------|------------|
| SL682 | 48" (1219.2mm) | 2 |
| SL686 | 48" (1219.2mm) | 6 |
| SL692 | 54" (1371.6mm) | 2 |

Bright Yellow Painted Aluminum

| No. | Length | Carton Qty |
|-------|----------------|------------|
| DW225 | 48" (1219.2mm) | 2 |
| DW226 | 54" (1371.6mm) | 2 |

Metric Bright Anodized Aluminum

| No. | Length | Carton Qty |
|--------|----------------|------------|
| SL686M | 48" (1219.2mm) | 6 |

NEW

Professional Adjustable T-Square

- Adjusts to set 30°, 45°, 60°, 75°, and 90° angles
- 16" stud markings
- Lip on arm catches material for easy cutting and scoring
- Bright anodized extruded aluminum, 1/4" thick
- Plastic knob adjusts angle and length
- Collapse for easy transportation

| No. | Length | Carton Qty |
|--------|--------|------------|
| SL680* | 48" | 4 |

T-Square collapsed

Detail of adjustable angle blade

Professional Aluminum T-Squares

- Ideal for drafting and industrial design
- Bright anodized extruded aluminum, 3/16" thick
- Easy-to-read 1/16" and 1/8" black graduations
- Accurate 90 degree angle





| No. | Description |
|---------|----------------------------|
| SLATS24 | 24"x2" (609.6mm x 50.8mm) |
| SLATS36 | 36"x2" (914.4mm x 50.8mm) |
| SLATS48 | 48"x2" (1219.2mm x 50.8mm) |

T-Square Junior


- Ideal for carpentry and woodworking
- Bright, anodized extruded aluminum, 3/16" thick
- Riveted construction
- Lip catches material for easy cutting and scoring
- Clear black 1/16", 1/8" markings
- Hang hole for easy storage

| No. | Size |
|-------|-----------|
| SL698 | 24" x 16" |

KEY TO FEATURES Features listed below by Squares

| | | | |
|--|-------------------------|--|--------------------------|
|  | A. Rafter Framing Rule |  | H. Wood Screw Drill Size |
|  | B. Octagon Scale |  | J. Protractor |
|  | C. Brace Measure |  | K. Useful Information |
|  | D. 1/100 Scale |  | L. Nail Information |
|  | E. Essex Board Measure |  | M. Decimal Equivalents |
|  | F. Reverse Reading Rule |  | N. Screw Thread Gauge |
|  | G. Metric Equivalents |  | O. Board Foot Table |

CARPENTER SQUARES



SLA100R Aluminum

SL200P

Polished

SL100RB
Black

Square Holder
Square holder for displays. Holds up to 15 Squares!
No. KTCSQHOLDER*

Etched Numbers

Long lasting, easy-to-read permanent etched numbers

Features: A, B, C, D, E / Etched Multiple Features

Graduations: 1/16", 1/10", 1/12", 1/8"

| No. | Size | Description |
|---------|---------|----------------------------------|
| SL100RB | 16"x24" | Rafter Square - Steel - Black |
| SL100RP | 16"x24" | Rafter Square - Steel - Polished |
| SLA100R | 16"x24" | Rafter Square - Aluminum |

Features: Rafter, Metric / Etched

Graduations: Centimeters

| No. | Size | Description |
|--------|---------|---|
| SL200P | 16"x24" | Rafter Square Metric - Steel - Polished |

Features: A, Rafter / Etched

Graduations: 1/16", 1/8", Centimeters

E/M = English/Metric

| No. | Size | Description |
|--------|---------|--------------------------------------|
| SL300P | 16"x24" | E/M Rafter Square - Steel - Polished |

Features: A, Rafter / Etched

Graduations: 1/8"

| No. | Size | Description |
|--------|---------|-------------------------------|
| SLSC2B | 16"x24" | Rafter Square - Steel - Black |

Features: H, K, L, O / Etched Multiple Features

Graduations: 1/8", 1/4"

| No. | Size | Description |
|------|--------|---------------------------|
| SL8B | 8"x12" | Square - Steel - Black |
| SL8P | 8"x12" | Square - Steel - Polished |

Features: F / Etched

Graduations: 1/8", 1/4"

| No. | Size | Description |
|--------|---------|------------------------------------|
| SLSC1P | 16"x24" | Standard Square - Steel - Polished |
| SLSC1A | 16"x24" | Standard Square - Aluminum |

Printed Numbers

General purpose squares, with easy-to-read numbers

Features: G, H, J, K, L, M, N, O / Printed Multiple Features

Graduations: 1/8"

| No. | Size | Description |
|--------|---------|-----------------------------------|
| SLSC4P | 16"x24" | Printed Square - Steel - Polished |
| SLSC4A | 16"x24" | Printed Square - Aluminum |

Features: Standard / Printed

Graduations: 1/16", 1/8"

| No. | Size | Description |
|--------|--------|--------------------------------|
| SLSC7B | 8"x12" | Printed Square - Steel - Black |

Features: A, B, C, E / Printed Multiple Features

Graduations: 1/16", 1/12", 1/10", 1/8"

| No. | Size | Description |
|--------|---------|--------------------------------|
| SLSC6B | 16"x24" | Printed Square - Steel - Black |
| SLSC6A | 16"x24" | Printed Square - Aluminum |

Etched Numbers

Long lasting, easy-to-read permanent etched numbers

Features: Etched

Graduations: 1/8", millimeters

| No. | Size | Description |
|--------|---------|-------------------------------------|
| SL400P | 16"x24" | English / Metric - Steel - Polished |
| SL800P | 8"x12" | English / Metric - Steel - Polished |

W. Rose™

• SINCE 1798 •

THE WORLD'S FINEST
BRICKLAYER'S TOOLS

SINGLE PIECE FORGED
FOR STRENGTH

FORGED STEEL

The blade and shank are forged from a single piece of uniquely formulated carbon steel for extra toughness. Forging also assures product consistency.

HEAT TEMPERED

Blades are heat tempered with a special time-tested process to ensure uniform blade hardness.

FLEXIBILITY

W. Rose™ features a tapered ground blade for flexibility. Blades are made in standard or limber weights.

STRENGTH

The forged steel blade and shank offer strength and integrity with no internal voids created by welding pieces together. Forged steel will not weaken or crack.



HAND POLISHED

Each blade is carefully hand polished to keep mortar centered on the blade and resist sliding.

SHANK ANGLE


The standard shank angle is specifically balanced to reduce wrist fatigue. Many of our popular trowel patterns are also available in low lift shanks for your comfort.

INSPECTION

Every trowel is inspected, keeping in mind the high quality standards of the W. Rose™ legacy. They also undergo testing for blade hardness and consistent size.

HANDLE STYLES

Four styles of handles are available on most W. Rose™ trowels - ProForm® soft grip, leather, two sizes of wood and plastic. All handles are specially contoured for a comfortable grip.



Left: A hanging W. Rose™ store sign from the 1930s
Right: W. Rose™ Book of Tools from 1929

ROSE TOOLS ENDURE

For over 200 years W. Rose™ has been the premier brand for the highest quality of masonry tools. William Rose established the company in 1798 near Philadelphia in Blockley Township, Pennsylvania. This blacksmith shop spent much of the early 1800s making tools, cavalry sabers and officer swords for the U.S. Army. In 1864 W. Rose™ began specializing in quality edged tools, knives and their signature brick trowel.

In 2001, Kraft Tool Co.® acquired W. Rose™ and remains dedicated to maintaining the legendary quality of its masonry products.

As they have for 220 years,
Rose Tools Endure



W. Rose Online

NARROW LONDON PATTERN

This diamond-heeled blade carries mortar away from the handle. The narrow size is good for general masonry and brick projects. The Narrow London blade easily spreads mortar for projects such as veneering. Single piece forged steel.



ProForm® Soft Grip Handle

Standard Shank - Narrow London

| No. | Blade | Heel Width |
|----------------|---------|------------|
| RO116-9SH | 9" | 4-3/16" |
| RO116-9-1/2SH | 9-1/2" | 4-1/4" |
| RO116-10SH | 10" | 4-1/2" |
| RO116-10-1/2SH | 10-1/2" | 4-5/8" |
| RO116-11SH | 11" | 4-3/4" |
| RO116-11-1/2SH | 11-1/2" | 4-7/8" |
| RO116-12SH | 12" | 5" |
| RO116-12-1/2SH | 12-1/2" | 5-1/4" |
| RO116-13SH | 13" | 5-3/8" |



Wood Handle

Standard Shank - Narrow London

| No. | Blade | Heel Width | Handle Size |
|--------------|---------|------------|-------------|
| RO116-9 | 9" | 4-3/16" | 6" |
| RO116-9-1/2 | 9-1/2" | 4-1/4" | 6" |
| RO116-10 | 10" | 4-1/2" | 6" |
| RO116-10-1/2 | 10-1/2" | 4-5/8" | 6" |
| RO116-11 | 11" | 4-3/4" | 6" |
| RO116-11-1/2 | 11-1/2" | 4-7/8" | 6" |
| RO116-12 | 12" | 5" | 6" |
| RO116-12-1/2 | 12-1/2" | 5-1/4" | 6" |
| RO116-13 | 13" | 5-3/8" | 6" |
| RO416-9 | 9" | 4-3/16" | 5" |
| RO416-9-1/2 | 9-1/2" | 4-1/4" | 5" |
| RO416-10 | 10" | 4-1/2" | 5" |
| RO416-10-1/2 | 10-1/2" | 4-5/8" | 5" |
| RO416-11 | 11" | 4-3/4" | 5" |
| RO416-11-1/2 | 11-1/2" | 4-7/8" | 5" |
| RO416-12 | 12" | 5" | 5" |
| RO416-12-1/2 | 12-1/2" | 5-1/4" | 5" |
| RO416-13 | 13" | 5-3/8" | 5" |



Leather Handle

Standard Shank - Narrow London

| No. | Blade | Heel Width |
|--------------|---------|------------|
| RO316-9 | 9" | 4-3/16" |
| RO316-9-1/2 | 9-1/2" | 4-1/4" |
| RO316-10 | 10" | 4-1/2" |
| RO316-10-1/2 | 10-1/2" | 4-5/8" |
| RO316-11 | 11" | 4-3/4" |
| RO316-11-1/2 | 11-1/2" | 4-7/8" |
| RO316-12 | 12" | 5" |
| RO316-12-1/2 | 12-1/2" | 5-1/4" |
| RO316-13 | 13" | 5-3/8" |



Plastic Handle

Standard Shank - Narrow London

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO1416-9 | 9" | 4-3/16" |
| RO1416-9-1/2 | 9-1/2" | 4-1/4" |
| RO1416-10 | 10" | 4-1/2" |
| RO1416-10-1/2 | 10-1/2" | 4-5/8" |
| RO1416-11 | 11" | 4-3/4" |
| RO1416-11-1/2 | 11-1/2" | 4-7/8" |
| RO1416-12 | 12" | 5" |
| RO1416-12-1/2 | 12-1/2" | 5-1/4" |
| RO1416-13 | 13" | 5-3/8" |

See page 114 for
limber weight
trowel blades



MADE IN THE USA
SINCE 1798



Low Lift Shanks

Low lift shank trowels have a lower handle angle as preferred by some masons. Comfortable position for your hand and wrist.

Low Lift Shank - Narrow London Wood Handle

| No. | Blade | Heel Width | Handle Size |
|--------------|---------|------------|-------------|
| RO186-9 | 9" | 4-3/16" | 6" |
| RO186-9-1/2 | 9-1/2" | 4-1/4" | 6" |
| RO186-10 | 10" | 4-1/2" | 6" |
| RO186-10-1/2 | 10-1/2" | 4-5/8" | 6" |
| RO186-11 | 11" | 4-3/4" | 6" |
| RO186-11-1/2 | 11-1/2" | 4-7/8" | 6" |
| RO186-12 | 12" | 5" | 6" |
| RO186-12-1/2 | 12-1/2" | 5-1/4" | 6" |
| RO186-13 | 13" | 5-3/8" | 6" |
| RO486-9 | 9" | 4-3/16" | 5" |
| RO486-9-1/2 | 9-1/2" | 4-1/4" | 5" |
| RO486-10 | 10" | 4-1/2" | 5" |
| RO486-10-1/2 | 10-1/2" | 4-5/8" | 5" |
| RO486-11 | 11" | 4-3/4" | 5" |
| RO486-11-1/2 | 11-1/2" | 4-7/8" | 5" |
| RO486-12 | 12" | 5" | 5" |
| RO486-12-1/2 | 12-1/2" | 5-1/4" | 5" |
| RO486-13 | 13" | 5-3/8" | 5" |

Low Lift Shank - Narrow London Leather Handle

| No. | Blade | Heel Width |
|--------------|---------|------------|
| RO386-9 | 9" | 4-3/16" |
| RO386-9-1/2 | 9-1/2" | 4-1/4" |
| RO386-10 | 10" | 4-1/2" |
| RO386-10-1/2 | 10-1/2" | 4-5/8" |
| RO386-11 | 11" | 4-3/4" |
| RO386-11-1/2 | 11-1/2" | 4-7/8" |
| RO386-12 | 12" | 5" |
| RO386-12-1/2 | 12-1/2" | 5-1/4" |
| RO386-13 | 13" | 5-3/8" |

Low Lift Shank - Narrow London Plastic Handle

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO1486-9 | 9" | 4-3/16" |
| RO1486-9-1/2 | 9-1/2" | 4-1/4" |
| RO1486-10 | 10" | 4-1/2" |
| RO1486-10-1/2 | 10-1/2" | 4-5/8" |
| RO1486-11 | 11" | 4-3/4" |
| RO1486-11-1/2 | 11-1/2" | 4-7/8" |
| RO1486-12 | 12" | 5" |
| RO1486-12-1/2 | 12-1/2" | 5-1/4" |
| RO1486-13 | 13" | 5-3/8" |

WIDE LONDON PATTERN

The wide diamond-shaped blade carries the mortar towards the blade tip. The Wide London pattern holds more mortar making it a popular pattern for concrete block and stonework. Single piece forged steel for strength.



ProForm® Soft Grip Handle

Standard Shank - Wide London

| No. | Blade | Heel Width |
|----------------|---------|------------|
| RO112-9SH | 9" | 5-1/4" |
| RO112-9-1/2SH | 9-1/2" | 5-3/8" |
| RO112-10SH | 10" | 5-1/2" |
| RO112-10-1/2SH | 10-1/2" | 5-1/2" |
| RO112-11SH | 11" | 5-5/8" |
| RO112-11-1/2SH | 11-1/2" | 5-3/4" |
| RO112-12SH | 12" | 5-13/16" |



Wood Handle

Standard Shank - Wide London

| No. | Blade | Heel Width | Handle Size |
|--------------|---------|------------|-------------|
| RO112-9 | 9" | 5-1/4" | 6" |
| RO112-9-1/2 | 9-1/2" | 5-3/8" | 6" |
| RO112-10 | 10" | 5-1/2" | 6" |
| RO112-10-1/2 | 10-1/2" | 5-1/2" | 6" |
| RO112-11 | 11" | 5-5/8" | 6" |
| RO112-11-1/2 | 11-1/2" | 5-3/4" | 6" |
| RO112-12 | 12" | 5-13/16" | 6" |
| RO412-9 | 9" | 5-1/4" | 5" |
| RO412-9-1/2 | 9-1/2" | 5-3/8" | 5" |
| RO412-10 | 10" | 5-1/2" | 5" |
| RO412-10-1/2 | 10-1/2" | 5-1/2" | 5" |
| RO412-11 | 11" | 5-5/8" | 5" |
| RO412-11-1/2 | 11-1/2" | 5-3/4" | 5" |
| RO412-12 | 12" | 5-13/16" | 5" |



Leather Handle

Standard Shank - Wide London

| No. | Blade | Heel Width |
|--------------|---------|------------|
| RO312-9 | 9" | 5-1/4" |
| RO312-9-1/2 | 9-1/2" | 5-3/8" |
| RO312-10 | 10" | 5-1/2" |
| RO312-10-1/2 | 10-1/2" | 5-1/2" |
| RO312-11 | 11" | 5-5/8" |
| RO312-11-1/2 | 11-1/2" | 5-3/4" |
| RO312-12 | 12" | 5-13/16" |



Plastic Handle

Standard Shank - Wide London

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO1412-9 | 9" | 5-1/4" |
| RO1412-9-1/2 | 9-1/2" | 5-3/8" |
| RO1412-10 | 10" | 5-1/2" |
| RO1412-10-1/2 | 10-1/2" | 5-1/2" |
| RO1412-11 | 11" | 5-5/8" |
| RO1412-11-1/2 | 11-1/2" | 5-3/4" |
| RO1412-12 | 12" | 5-13/16" |



MADE IN THE USA
SINCE 1798



Low Lift Shanks

Low lift shank trowels have a lower handle angle as preferred by some masons. Comfortable position for your hand and wrist.

Low Lift Shank - Wide London Wood Handle

| No. | Blade | Heel Width | Handle Size |
|--------------|---------|------------|-------------|
| RO182-9 | 9" | 5-1/4" | 6" |
| RO182-9-1/2 | 9-1/2" | 5-3/8" | 6" |
| RO182-10 | 10" | 5-1/2" | 6" |
| RO182-10-1/2 | 10-1/2" | 5-1/2" | 6" |
| RO182-11 | 11" | 5-5/8" | 6" |
| RO182-11-1/2 | 11-1/2" | 5-3/4" | 6" |
| RO182-12 | 12" | 5-13/16" | 6" |
| RO482-9 | 9" | 5-1/4" | 5" |
| RO482-9-1/2 | 9-1/2" | 5-3/8" | 5" |
| RO482-10 | 10" | 5-1/2" | 5" |
| RO482-10-1/2 | 10-1/2" | 5-1/2" | 5" |
| RO482-11 | 11" | 5-5/8" | 5" |
| RO482-11-1/2 | 11-1/2" | 5-3/4" | 5" |
| RO482-12 | 12" | 5-13/16" | 5" |

Low Lift Shank - Wide London Leather Handle


| No. | Blade | Heel Width |
|--------------|---------|------------|
| RO382-9 | 9" | 5-1/4" |
| RO382-9-1/2 | 9-1/2" | 5-3/8" |
| RO382-10 | 10" | 5-1/2" |
| RO382-10-1/2 | 10-1/2" | 5-1/2" |
| RO382-11 | 11" | 5-5/8" |
| RO382-11-1/2 | 11-1/2" | 5-3/4" |
| RO382-12 | 12" | 5-13/16" |

Low Lift Shank - Wide London Plastic Handle

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO1482-9 | 9" | 5-1/4" |
| RO1482-9-1/2 | 9-1/2" | 5-3/8" |
| RO1482-10 | 10" | 5-1/2" |
| RO1482-10-1/2 | 10-1/2" | 5-1/2" |
| RO1482-11 | 11" | 5-5/8" |
| RO1482-11-1/2 | 11-1/2" | 5-3/4" |
| RO1482-12 | 12" | 5-13/16" |

PHILADELPHIA PATTERN

The square heel on this trowel holds the most mortar and has become the most popular trowel to use with block. Single piece forged steel for strength.



MADE IN THE USA
SINCE 1798



ProForm® Soft Grip Handle

Standard Shank - Philadelphia

| No. | Blade | Heel Width |
|----------------|---------|------------|
| RO110-9SH | 9" | 5-1/8" |
| RO110-9-1/2SH | 9-1/2" | 5-3/16" |
| RO110-10SH | 10" | 5-1/4" |
| RO110-10-1/2SH | 10-1/2" | 5-3/8" |
| RO110-11SH | 11" | 5-7/16" |
| RO110-11-1/2SH | 11-1/2" | 5-1/2" |
| RO110-12SH | 12" | 5-9/16" |



Leather Handle

Standard Shank - Philadelphia

| No. | Blade | Heel Width |
|--------------|---------|------------|
| RO310-9 | 9" | 5-1/8" |
| RO310-9-1/2 | 9-1/2" | 5-3/16" |
| RO310-10 | 10" | 5-1/4" |
| RO310-10-1/2 | 10-1/2" | 5-3/8" |
| RO310-11 | 11" | 5-7/16" |
| RO310-11-1/2 | 11-1/2" | 5-1/2" |
| RO310-12 | 12" | 5-9/16" |



6" Wood Handle

Standard Shank - Philadelphia

| No. | Blade | Heel Width |
|--------------|---------|------------|
| RO110-9 | 9" | 5-1/8" |
| RO110-9-1/2 | 9-1/2" | 5-3/16" |
| RO110-10 | 10" | 5-1/4" |
| RO110-10-1/2 | 10-1/2" | 5-3/8" |
| RO110-11 | 11" | 5-7/16" |
| RO110-11-1/2 | 11-1/2" | 5-1/2" |
| RO110-12 | 12" | 5-9/16" |

Plastic Handle

Standard Shank - Philadelphia

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO1410-9 | 9" | 5-1/8" |
| RO1410-9-1/2 | 9-1/2" | 5-3/16" |
| RO1410-10 | 10" | 5-1/4" |
| RO1410-10-1/2 | 10-1/2" | 5-3/8" |
| RO1410-11 | 11" | 5-7/16" |
| RO1410-11-1/2 | 11-1/2" | 5-1/2" |
| RO1410-12 | 12" | 5-9/16" |

W. ROSE™ LIMBER BLADES

NARROW LONDON

Standard Shank, Limber Blade

| ProForm® Soft Grip Handle | | |
|---------------------------|---------|------------|
| No. | Blade | Heel Width |
| RO116-10LSH | 10" | 4-1/2" |
| RO116-11LSH | 11" | 4-3/4" |
| RO116-11 1/2LSH | 11-1/2" | 4-7/8" |
| RO116-12LSH | 12" | 5" |
| RO116-13LSH | 13" | 5-3/8" |

6" Wood Handle

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO116-10L | 10" | 4-1/2" |
| RO116-11L | 11" | 4-3/4" |
| RO116-11 1/2L | 11-1/2" | 4-7/8" |
| RO116-12L | 12" | 5" |
| RO116-13L | 13" | 5-3/8" |

Leather Handle

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO316-10L | 10" | 4-1/2" |
| RO316-11L | 11" | 4-3/4" |
| RO316-11 1/2L | 11-1/2" | 4-7/8" |
| RO316-12L | 12" | 5" |
| RO316-13L | 13" | 5-3/8" |

WIDE LONDON

Standard Shank, Limber Blade

| ProForm® Soft Grip Handle | | |
|---------------------------|---------|------------|
| No. | Blade | Heel Width |
| RO112-10LSH | 10" | 5-1/2" |
| RO112-11LSH | 11" | 5-5/8" |
| RO112-11 1/2LSH | 11-1/2" | 5-3/4" |
| RO112-12LSH | 12" | 5-13/16" |

6" Wood Handle

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO112-10L | 10" | 5-1/2" |
| RO112-11L | 11" | 5-5/8" |
| RO112-11 1/2L | 11-1/2" | 5-3/4" |
| RO112-12L | 12" | 5-13/16" |

Leather Handle

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO312-10L | 10" | 5-1/2" |
| RO312-11L | 11" | 5-5/8" |
| RO312-11 1/2L | 11-1/2" | 5-3/4" |
| RO312-12L | 12" | 5-13/16" |

PHILADELPHIA

Standard Shank, Limber Blade

| ProForm® Soft Grip Handle | | |
|---------------------------|---------|------------|
| No. | Blade | Heel Width |
| RO110-10LSH | 10" | 5-1/4" |
| RO110-11LSH | 11" | 5-7/16" |
| RO110-11 1/2LSH | 11-1/2" | 5-1/2" |
| RO110-12LSH | 12" | 5-9/16" |

6" Wood Handle

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO110-10L | 10" | 5-1/4" |
| RO110-11L | 11" | 5-7/16" |
| RO110-11 1/2L | 11-1/2" | 5-1/2" |
| RO110-12L | 12" | 5-9/16" |

Leather Handle

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO310-10L | 10" | 5-1/4" |
| RO310-11L | 11" | 5-7/16" |
| RO310-11 1/2L | 11-1/2" | 5-1/2" |
| RO310-12L | 12" | 5-9/16" |

WIDE HEEL BLADE PATTERN

Wide heel is useful when working on thick walls



6" Wood Handle

Standard Shank - Wide Heel


| No. | Blade | Heel Width |
|--------------|---------|------------|
| RO221-10 | 10" | 6" |
| RO221-10-1/2 | 10-1/2" | 6" |
| RO221-11 | 11" | 6" |
| RO221-11-1/2 | 11-1/2" | 6" |
| RO221-12 | 12" | 6-1/8" |



Leather Handle

Standard Shank - Wide Heel

| No. | Blade | Heel Width |
|--------------|---------|------------|
| RO321-10 | 10" | 6" |
| RO321-10-1/2 | 10-1/2" | 6" |
| RO321-11 | 11" | 6" |
| RO321-11-1/2 | 11-1/2" | 6" |
| RO321-12 | 12" | 6-1/8" |



Plastic Handle

Standard Shank - Wide Heel

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO1421-10 | 10" | 6" |
| RO1421-10-1/2 | 10-1/2" | 6" |
| RO1421-11 | 11" | 6" |
| RO1421-11-1/2 | 11-1/2" | 6" |
| RO1421-12 | 12" | 6-1/8" |



ROUND HEEL BLADE PATTERN

Rounded heel has no corners to catch the mason's line



6" Wood Handle

Standard Shank - Round Heel

| No. | Blade | Heel Width |
|--------------|---------|------------|
| RO113-10 | 10" | 5" |
| RO113-10-1/2 | 10-1/2" | 5-1/16" |
| RO113-11 | 11" | 5-1/8" |
| RO113-11-1/2 | 11-1/2" | 5-1/4" |
| RO113-12 | 12" | 5-5/16" |



Leather Handle

Standard Shank - Round Heel

| No. | Blade | Heel Width |
|--------------|---------|------------|
| RO313-10 | 10" | 5" |
| RO313-10-1/2 | 10-1/2" | 5-1/16" |
| RO313-11 | 11" | 5-1/8" |
| RO313-11-1/2 | 11-1/2" | 5-1/4" |
| RO313-12 | 12" | 5-5/16" |



Plastic Handle

Standard Shank - Round Heel

| No. | Blade | Heel Width |
|---------------|---------|------------|
| RO1413-10 | 10" | 5" |
| RO1413-10-1/2 | 10-1/2" | 5-1/16" |
| RO1413-11 | 11" | 5-1/8" |
| RO1413-11-1/2 | 11-1/2" | 5-1/4" |
| RO1413-12 | 12" | 5-5/16" |



SPECIALTY TROWELS

SOLD IN CARTONS OF 6

Blade and shank forged as one piece. Unique heat tempering process for hardness and strength. Hand polished for perfect flexibility.

Brick Weight Large Tang Pointing Trowel

Standard Shank

| No. | Blade | Heel Width | Handle |
|-------|-------|------------|----------------|
| RO50W | 7" | 3-3/8" | 5" Wood |
| RO50L | 7" | 3-3/8" | 5-1/2" Leather |



RO50

Sewer Trowel

Standard Shank

| No. | Blade | Heel Width | Handle |
|-------------|--------|------------|---------|
| RO427-9 1/2 | 9-1/2" | 6" | 5" Wood |



RO427

Mud Trowel

Standard Shank

| No. | Blade | Heel Width | Handle |
|--------|--------|------------|---------|
| RO6302 | 7-1/2" | 5-3/8" | 6" Wood |



RO6302

Bucket Trowel

Standard Shank

| No. | Blade | Heel Width | Handle |
|--------|-------|------------|---------|
| RO6301 | 8" | 5-3/8" | 6" Wood |



RO6301

Tile Trowel

Standard Shank

| No. | Blade | Heel Width | Handle |
|------|--------|------------|---------|
| RO75 | 7" | 3-3/16" | 5" Wood |
| RO55 | 7-1/2" | 4-7/16" | 5" Wood |

RO75

RO55



Standard Shank

| No. | Blade | Heel Width | Handle |
|---------|-------|------------|---------|
| RO414-9 | 9" | 4-3/4" | 5" Wood |

RO414-9



Pumpkin Seed Trowel

Standard Shank

| No. | Blade | Heel Width | Handle |
|------|--------|------------|---------|
| RO74 | 7-1/2" | 3-1/2" | 5" Wood |

RO74



Buttering Trowel

Standard Shank

| No. | Blade | Heel Width | Handle |
|-------|--------|------------|---------|
| RO118 | 9-1/2" | 10" | 5" Wood |

RO118



Gauging Trowel

POINTING & MARGIN TROWELS

Margin Trowels

Wood Handle

| No. | Size |
|--------|---------|
| RO58-5 | 5" x 2" |
| RO58-6 | 6" x 2" |
| RO58-8 | 8" x 2" |

Leather Handle

| No. | Size |
|---------|---------|
| RO58-5L | 5" x 2" |
| RO58-6L | 6" x 2" |
| RO58-8L | 8" x 2" |



Forged from a single piece of uniquely formulated steel. Long lasting with a comfortable weight and flexibility to the blade. Heat treatment produces a uniform hardness for scraping and digging. Pointing and Margin trowels are polished to perfection and come with smooth wood or comfortable leather handles.

Pointing Trowels

Wood Handle

| No. | Size |
|--------|-------------|
| RO50-5 | 5" x 2-1/2" |
| RO50-6 | 6" x 2-3/4" |
| RO50-7 | 7" x 3-3/8" |

Leather Handle

| No. | Size |
|---------|-------------|
| RO50-5L | 5" x 2-1/2" |
| RO50-6L | 6" x 2-3/4" |
| RO50-7L | 7" x 3-3/8" |



JOINTERS & SLED RUNNERS

Convex Jointer

- Strong hot formed steel
- Most popular joint in the United States, creates inverted rounded impression in the mortar joint

No.

| No. | Size |
|--------------------|-----------------|
| RO5121-3/8x1/2 | 3/8" x 1/2" |
| RO5121-1/2x5/8 | 1/2" x 5/8" |
| RO5121-5/8x3/4 | 5/8" x 3/4" |
| RO5121-3/4x7/8 | 3/4" x 7/8" |
| RO5121-7/8x1 | 7/8" x 1" |
| RO5121-1x1-1/8 | 1" x 1-1/8" |
| RO5121-1-1/8x1-1/4 | 1-1/8" x 1-1/4" |



Grapevine Jointer

- Forged jointer creates shallow joints with an indented line, making it appear deeper
- Popular in colonial period brickwork and masonry restoration

No.

| No. | Size |
|--------|-------------|
| RO5150 | 3/4" x 5/8" |
| RO5151 | 5/8" x 1/2" |


Sled Runners

- Creates an inverted rounded impression in the mortar joint
- Quickly and efficiently make long, straight, and even joints
- Perfect for concrete block walls

A) Convex Loop Sled Runner

| No. | Size | Length |
|------------|------|--------|
| RO5140-3/8 | 3/8" | 17" |
| RO5140-1/2 | 1/2" | 17" |
| RO5140-5/8 | 5/8" | 17" |
| RO5140-3/4 | 3/4" | 17" |


Sold in
cartons of (6)



B) Convex Mounting Sled Runner

| No. | Size | Length |
|------------|------|---------|
| RO5141-1/2 | 1/2" | 17-5/8" |
| RO5141-5/8 | 5/8" | 17-5/8" |
| RO5141-3/4 | 3/4" | 17-5/8" |

End View
U



Professional Bonded Braided Nylon Line

Premium Quality

Super Tough - Will Not Sag

W. Rose™ professional quality, super tough, super strong. Bonded for better knot holding and abrasion resistance. 35% stronger than regular mason's line. 216 lb. test.

| No. | Size | Color |
|-------|------|-----------------------|
| RO685 | 685' | Yellow & Black |
| RO686 | 685' | Orange & Black |
| RO687 | 685' | "All American" |
| | | Red, White, & Blue |
| RO688 | 685' | "Camo" |
| | | Green, Gold, & Brown |
| RO689 | 685' | Orange, Black, & Gold |



Yellow & Black

Orange & Black

'All American'
Red, White, & Blue'Camo' Green,
Gold, & BrownOrange, Black,
& Gold

Brick Hammer

Head is forged from highest quality tool steel available. 1-1/8" by 1-1/16" flat face provides a solid base to use with brick and tile chisels. Properly balanced for great leverage. Chisel end for breaking up brick and stone. Fitted with wood handle.

| No. | Head Weight |
|-----------|-------------|
| RO3131-24 | 24 oz. |



Carbide-Tipped Tile Hammer

Head is forged from highest quality tool steel available. Chisel end for breaking up brick and stone. Smooth wood handle is properly balanced for superior leverage and a comfortable grip. Available with a carbide tip for extra strength.

Carbide-Tipped

| No. | Head Weight | Face Size |
|-------------|-------------|-----------|
| RO3122-5/8C | 8 oz. | 5/8" |

Without Carbide

| No. | Head Weight | Face Size |
|------------|-------------|-----------|
| RO3122-5/8 | 8 oz. | 5/8" |



Line Pin

Precision forged, heavy-duty steel line pins. Hand polished. Sold individually.

| No. | Description |
|--------|---------------------------|
| RO2122 | Individual Steel Line Pin |



Sold Individually

Available in
cartons of 12

Smith Levels

These handmade stainless steel bound walnut and maple laminated levels are used by the most discriminating craftsmen. Featuring metallic sealed yellow vials, handset in an unshrinkable compound. The exterior is sealed using raw linseed oil. Will not warp or delaminate. Each level features 6 vials for accurate leveling. Large hand holes make this level easy to maneuver on the job.

| No. | Size |
|----------|------|
| SMITH-18 | 18" |
| SMITH-24 | 24" |
| SMITH-36 | 36" |
| SMITH-42 | 42" |
| SMITH-48 | 48" |

Sold in
cartons of (6)

Smith Level Recondition Kit

Includes 6 replacement lenses, 6 lens ring holders and linseed oil.

No. SMITH-00



W. Rose™ Replacement Trowel Handles

ProForm® Handle - RO1000

Unique soft textured contoured 6" ProForm® soft grip handle. Tough, rugged and well-balanced, with hard urethane endcap for tamping. (US Patent #D508638)

6" Wood Handle - RO100

5" Wood Handle - RO400

Smooth comfortable strong second-growth hardwood handle fitted with steel ferrule.

Leather Handle - RO300

5-1/2" seasoned wood handle wrapped with genuine leather to provide a smooth comfortable grip. Fitted with steel ferrule. Helps absorb moisture from sweat.

Plastic Handle - RO1400

Clear amber colored 5-1/4" plastic handle. Tough and rugged handle will not mushroom from tamping bricks or concrete blocks.

Margin Trowels

- One-piece forged for strength and flexibility
- Tempered, ground and polished for perfect balance

Wood Handle

| No. | Blade Size |
|-------|------------|
| GG431 | 5"x1-1/2" |
| GG432 | 5"x2" |
| GG434 | 6"x2" |
| GG433 | 8"x2" |



ProForm® Handle

| No. | Blade Size |
|---------|------------|
| GG431PF | 5"x1-1/2" |
| GG432PF | 5"x2" |
| GG434PF | 6"x2" |
| GG433PF | 8"x2" |



Pointing Trowels

- One-piece forged for strength and flexibility
- Tempered, ground and polished for perfect balance

Wood Handle

| No. | Blade Size |
|-------|---------------|
| GG420 | 4"x2" |
| GG421 | 4-1/2"x2-1/4" |
| GG424 | 5"x2-1/2" |
| GG422 | 5-1/2"x2-1/2" |
| GG427 | 6"x2-3/4" |
| GG423 | 7"x3" |



ProForm® Handle

| No. | Blade Size |
|---------|---------------|
| GG420PF | 4"x2" |
| GG421PF | 4-1/2"x2-1/4" |
| GG424PF | 5"x2-1/2" |
| GG422PF | 5-1/2"x2-1/2" |
| GG427PF | 6"x2-3/4" |
| GG423PF | 7"x3" |



Margin / Pointing Trowel Leather Pouch

Convenient leather pouch easily snaps around belt.
Fits Pointing and Margin Trowels (6" or smaller).

No. AR100

See page 133 for Archaeology Tools.



Aluminum Solid Wheel Joint Raker

Solid steel wheels bridge the joint while a 2" adjustable nail rakes joints. The aluminum handle can also be used for tooling joints.

No. BL209



Skate Wheel Joint Raker

Masons love this big wheeled joint raker. Wheels are 1-3/4" in diameter, mounted 2-1/4" apart. Overall width is 3-5/8". Has 8-1/2" aluminum handle that is squared off at the end to rod joints. Hardened nail is adjusted for depth.

No. BL210



Professional Nylon Tool Bag

Double layer of nylon with heavy reinforced bottom makes this a perfect bag for the professional. Extra large zippered opening for tools and supplies. Comes with 14 inside pockets, 6 outside pockets, and heavy-duty handles and shoulder strap.

No. Size
WL103* 24"x10-1/2"x13-1/2"



Professional Leather Bottom Bag

Heavy-duty, lightweight leather bottom canvas bag comes with tough nylon support handles. A masonite bottom board holds the bag in shape and provides waterproofing.

No. Size
WL224 24"




Caulking Trowels

- One-piece forged for strength and flexibility
- Tempered, ground and polished for perfect balance
- Ideal for tuckpointing

Wood Handle

| No. | Blade Size |
|-------|--------------|
| BL761 | 6-5/8"x3/16" |
| BL762 | 6-5/8"x1/4" |
| BL763 | 6-5/8"x3/8" |
| BL764 | 6-5/8"x1/2" |
| BL765 | 6-5/8"x5/8" |
| BL766 | 6-5/8"x3/4" |
| BL767 | 6-5/8"x7/8" |
| BL768 | 6-5/8"x1" |



ProForm® Handle

| No. | Blade Size |
|---------|--------------|
| BL761PF | 6-5/8"x3/16" |
| BL762PF | 6-5/8"x1/4" |
| BL763PF | 6-5/8"x3/8" |
| BL764PF | 6-5/8"x1/2" |
| BL765PF | 6-5/8"x5/8" |
| BL766PF | 6-5/8"x3/4" |
| BL767PF | 6-5/8"x7/8" |
| BL768PF | 6-5/8"x1" |



Finger Tape

Protect fingers from abrasions and cuts by wrapping individual fingers with cloth finger tape. 165' per roll.

No. Size
BL400 1" x 165'



Deluxe Canvas Tool Bags

An expertly made bag, deep and roomy, built around a 12-gauge steel hinged frame. Leather handles, buckles and canvas are riveted into the frame. Lock-stitched sewing assures long life. A masonite bottom board provides waterproofing. 9"x11" inside pocket.

No. Size
WL020 14"x20"
WL024 14"x24"



Professional Quality Kraft Tool Brick Trowels

- One-piece forging made from the highest grade trowel steel
- Taper ground for flexibility
- Precision balanced
- Fitted with 6" hardwood handle



Narrow London

Narrow heel is good for general masonry and brick projects.

No. Blade Size

BL703 10"x4-1/4"

BL705 11"x4-5/8"

BL707 12"x5"



Wide London

Wide heel holds more mortar for block and stonework.

No. Blade Size

BL723 10"x5-1/2"

BL729 11"x5-1/2"

BL772 12"x6"



Philadelphia

Square heel holds the most mortar, popular with block work.

No. Blade Size

BL750 10"x5"

BL752 11"x5-1/2"

BL754 12"x5-5/8"

Replacement Handle

No. Size

BL101 6" Hardwood

Rubber Tip for Brick Trowel Handle

No.

BL104



PROFESSIONAL MASONRY TROWELS

Kraft Tool Brick and Specialty Trowels

- One-piece forged for strength and flexibility
- Made of high grade trowel steel
- Tempered, ground and polished for perfect balance
- Taper ground blades for flexibility

Buttering Trowel



Wood Handle

No. Blade Length Heel Width
GG441 7" 4-5/8"

ProForm® Handle

No. Blade Length Heel Width
GG441PF 7" 4-5/8"

Cross Joint Trowel



Wood Handle

No. Blade Length Heel Width
GG445 5" 1-3/4"

ProForm® Handle

No. Blade Length Heel Width
GG445PF 5" 1-3/4"

Gauging Trowel



Wood Handle

No. Blade Length Heel Width
GG443 7" 3-1/4"

ProForm® Handle

No. Blade Length Heel Width
GG443PF 7" 3-1/4"

Duck Bill Trowel



Wood Handle

No. Blade Length Heel Width
GG444 10" 2"

ProForm® Handle

No. Blade Length Heel Width
GG444PF 10" 2"

Bucket Trowel

End of blade is cut off diagonally for easy scraping or mixing in buckets or mortar boxes.

No. Blade Length

BL700 6"



**Hi-Craft®
Masonry Tools
Page 97**

JOINTERS & SLED RUNNERS



"The Original"

-Hubbard Jointers-

The Hubbard Jointer was designed by a bricklayer in the business for 60 years. The cast aluminum handle gives more knuckle clearance. Wear is distributed by revolving the tubular steel blade. Jointer comes assembled with one 1/2" blade and one 5/8" blade. One 3/4" blade and one 7/8" blade is also included in set. Replaceable steel blades available. Keep the handle - replace the blades. Overall length 8-1/2".

New and improved retail packaging for jointer and replacement blades.



| No. | Description |
|-------|--|
| BL280 | Jointer with 1/2", 5/8", 3/4", 7/8" Blades |
| BL281 | 1/2" (13mm) Replacement Blade |
| BL282 | 5/8" (16mm) Replacement Blade |
| BL283 | 3/4" (19mm) Replacement Blade |
| BL284 | 7/8" (22mm) Replacement Blade |

"Half Round Convex" Sled Runners



- The best tool you can get for making round sunken concave or rodded masonry joints
- High quality steel blade
- **14" blade (shown)** turned up on one end only and **20" blade** turned up on both ends

| Wood Handle | ProForm® Handle | Size |
|-------------|-----------------|----------|
| No. | No. | |
| BL215 | BL215PF | 14"x1/2" |
| BL216 | BL216PF | 14"x5/8" |
| BL217 | BL217PF | 14"x3/4" |
| BL229 | BL229PF | 20"x1/2" |
| BL226 | BL226PF | 20"x5/8" |
| BL227 | BL227PF | 20"x3/4" |

"V" Sled Runners



- High quality steel blade
- Very handy in block construction
- Makes perfect horizontal "V" joints
- **14" blade (shown)** turned up on one end only and **20" blade** turned up on both ends

| Wood Handle | ProForm® Handle | Size |
|-------------|-----------------|----------|
| No. | No. | |
| BL214 | BL214PF | 14"x3/4" |
| BL220 | BL220PF | 20"x3/4" |

Hubbard Sled Runners

"The Original"

- Hubbard sled runner operates the same way as the jointer. Keep the handle, replace the blade
- The ideal tool for making half-round sunken joints
- Turning the blade during use helps evenly distribute wear
- Cast aluminum blade holder with wood handle
- Includes a 3/4" diameter blade made of case-hardened steel



| No. | Description |
|-------|---------------------------------|
| BL286 | 14" Sled Runner with 3/4" Blade |
| BL285 | 5/8" Replacement Blade |
| BL287 | 3/4" Replacement Blade |
| BL288 | 7/8" Replacement Blade |

MASONRY Barbell Jointer®



- 7-1/2" Long, high quality tool steel
- Package of 2



Masonry Barbell Jointer®

Faster jointing

Even wear, Longer life

- Round head joints in all directions
- Eliminates changing hand or wrist positions
- Keeps knuckles away from wall
- When using fast setting mortar, it allows you to apply more pressure with less effort
- 2 jointers per package

No. BL390

Grapevine Jointer


Carefully forged from high carbon steel, this jointer with handle is especially convenient when the job calls for this special colonial-style joint. Bit is 1/8" wide on center of blade. 5"x1/2" blade. Curved up end for moving through mortar.

| | |
|-----------------|---------|
| Wood | |
| No. | BL401 |
| ProForm® | |
| No. | BL401PF |



JOINTERS

Brick Jointers



Formed from quality high carbon steel. Each end makes a different size concave joint. This popular joint resists rain penetration and creates a tight seal. Overall length 10-1/2".

| No. | Size |
|-------|-----------|
| BL260 | 3/8"x1/2" |
| BL261 | 1/2"x5/8" |
| BL262 | 5/8"x3/4" |
| BL264 | 3/4"x7/8" |
| BL265 | 7/8"x1" |


Variable Convex Jointer Extra Hard



Extra hard tempered steel jointer for tile, brick and mortar joints. Produces smooth half round sunken joints. Jointer tapers from 5/8" to 7/8" on curvature. Legs measure 3-1/2" and 4-1/4" long. Easy to handle tool adjusts to various joint widths.

No. BL660

Double Blade Slicker



Formed from the highest grade carbon steel. Each end makes a different size of a flat flush joint. Excellent for tuck pointing in tough spots. Overall length 11".

| No. | Size |
|-------|-----------|
| BL201 | 1/4"x3/8" |
| BL202 | 1/2"x5/8" |

Brick and Stone Marker

A unique cutting tool carves out joints when using imitation brick, stone and veneering. The lightweight tool cuts out mortar joints. Tough, 1/2" wide heat-treated blade is designed to allow the mortar to move out of the joint. The 8" aluminum handle is easy to grasp. Overall length is 10".

| No. | Description |
|-------|-------------------|
| BL207 | Cutter with Blade |
| BL208 | Extra Blade |


Diamond "V" Head Jointers



Works well for striking head joints. Forged from carbon steel. Overall length 9".

| No. | Size |
|-------|------|
| BL290 | 1/2" |
| BL291 | 5/8" |

Heavyweight Convex Jointers



Forged steel with one large end, tapered at the other to produce half round sunken joints.

| No. | Size |
|-------|-------------|
| BL270 | 9-1/2"x1/2" |
| BL271 | 9-1/2"x5/8" |
| BL272 | 9-1/2"x3/4" |

Plexiglass Jointers



Use this plexiglass jointer on white mortar. Will not discolor or leave black marks. A popular tool used with glass blocks. Overall length 11-1/4".

| No. | Size |
|-------|------|
| BL273 | 1/4" |
| BL274 | 3/8" |
| BL276 | 1/2" |
| BL277 | 5/8" |
| BL278 | 3/4" |


Double End Grapevine Jointers



Forged from high quality tool steel. Creates a thin line in the middle of the joint. Popular in colonial period brickwork and masonry restoration. Overall length is 8".

| No. | Width | Center Groove |
|-------|-----------|---------------|
| BL402 | 1/2"x5/8" | 1/8" |
| BL403 | 5/8"x3/4" | 1/8" |

Stone and Brick Beader (Grapevine)



Steel blade produces 5/16" raised grapevine joints for a popular Southern look. Double end. Overall length 11-1/2".

| No. | Size |
|-------|-------|
| BL405 | 5/16" |

Lightweight Concave Stone Beaders



Steel jointer produces raised half round beaded joints. A formal looking joint popular on interiors. Creates 2 sizes of beads. Overall length 10-1/2".

| No. | Size |
|-------|-----------|
| BL140 | 3/8"x1/2" |
| BL141 | 5/8"x3/4" |

Combination Raker-Jointer



Steel raker-jointer is used on rough materials such as adobe brick, split stone, and split block. It has a 3/4" convex jointer on one end, and a 5/16" raker blade at the other end. Overall length 10".

No. BL205

"S" Jointers Ultra Hard



U.S. Patent #4,879,780

The patented "S" curve allows you to approach or maintain different pitch angles while jointing the mortar. Long-wearing hard steel. Overall length 9-1/4".

| No. | Size |
|-------|-----------|
| BL160 | 3/8"x1/2" |
| BL161 | 1/2"x5/8" |
| BL162 | 5/8"x3/4" |
| BL164 | 3/4"x7/8" |
| BL165 | 7/8"x1" |