



# SAFETY SIGN SURVEY

## TABLE OF CONTENTS

### SPECIFIC AREAS

Parking Lot.....	4	Machine Safety.....	22
Entry.....	6	Cylinders.....	22
Admittance.....	6	Waste.....	23
Labor Law.....	8	Confined Space.....	24
Housekeeping.....	8	Shipping.....	25
No Smoking.....	10	Forklift Trucks.....	26
Accessibility.....	12	Hallways.....	26-27
Fire Extinguishers.....	13	First Aid.....	27
Exit.....	15-16	Fall Protection.....	28
General.....	17	Chemical Storage.....	29
PPE.....	17-18	Right-to-know.....	29-30
Lockout/Tagout.....	19	Pipe Markers.....	30
Arc Flash.....	21		
Electrical.....	21		

Protects your investment  
LIFETIME GUARANTEED!



This is a general guide designed to assist customers in identifying available NMC safety identification products in support of their safety programs. This guide is not a list of all legally required products; and NMC makes no warranty, express or implied, that the guide or the products are suitable for a particular customer's use. Each party using this guide should assess the specifics of its own business operations and make its own determination, or seek independent professional advice, regarding the use of this guide and products and compliance with applicable laws.

# OSHA TOP TEN VIOLATIONS 2013

OSHA's Top 10 most frequently cited standards 2013 (10/1/2012 – 9/30/2013)

	TOTALCOSTINFINES
1. Fall protection ( <a href="#">29 CFR 1926.501</a> )	20,488,609
2. Hazard communication standard, general industry ( <a href="#">29 CFR 1910.1200</a> )	8
3. Scaffolding, general requirements, construction ( <a href="#">29 CFR 1926.451</a> )	8
4. Respiratory protection, general industry ( <a href="#">29 CFR 1910.134</a> )	8
5. Electrical, wiring methods, components and equipment, general industry ( <a href="#">29 CFR 1910.305</a> )	8
6. Powered industrial trucks, general industry ( <a href="#">29 CFR 1910.178</a> )	8
7. Ladders, construction ( <a href="#">29 CFR 1926.1053</a> )	4,395,077
8. Control of hazardous energy (lockout/tagout), general industry ( <a href="#">29 CFR 1910.147</a> )	8
9. Electrical systems design, general requirements, general industry ( <a href="#">29 CFR 1910.303</a> )	8
10. Machinery and Machine Guarding, general requirements ( <a href="#">29 CFR 1910.212</a> )	8

## TIPS TO PREPARE FOR AN OSHA INSPECTION

Check OSHA's General Environmental Control section to understand the full scope of the agency's jurisdiction and evaluation. Prepare for upcoming inspections by visiting <https://www.osha.gov/index.html> and use the Fact Sheets and Cards for current summaries and guidance.

The OSHA Field Operations Manual contains valuable information on how inspections are conducted and policies for evaluating compliance. [https://www.osha.gov/OshDoc/Directive\\_pdf/CPL\\_02-00-148.pdf](https://www.osha.gov/OshDoc/Directive_pdf/CPL_02-00-148.pdf)

Also see the booklet *Employer Rights and Responsibilities Following a Federal OSHA Inspection* (OSHA 3000-09R, copyright 2011) for more information.

Additional tips can be found throughout this guide alongside individual regulations.

# SIGN IDENTIFICATION & LEGIBILITY

OSHA and ANSI requiresignageto indicate and definespecific hazards that, without identification, may lead to injury or death. Select your sign with the header that indicates the degree of hazard in your application.



Use DANGER to indicate an immediate hazard which has a high probability to severe injury or death.



Use WARNING to indicate a potentially hazardous situation which, if not avoided, can result in serious injury or death.



Use CAUTION to indicate a potentially hazardous situation which may result in minor or moderate injury, but not death.



Use NOTICE to provide general information needed to avoid confusion.




These and similar headings are used with information about housekeeping, first aid, health, medical equipment, sanitation and general safety.

## Guide to Sign Legibility

Viewing Distance	Letter Height
30'	3/4"
40'	1"
55'	1 1/4"
65'	1 1/2"
75'	1 3/4"
85'	2"
115'	2 1/2"
135'	3"
150'	4"
200'	6"
350'	8"

Determine the viewing distance for your sign, then contact our Inside Sales Team and we'll do the rest!



# Parking Lot

"Regulatory signs shall be installed at or near where the regulations apply. The signs shall clearly indicate the requirements imposed by the regulations and shall be designed and installed to provide adequate visibility and legibility in order to obtain compliance.

## MUTCD Section 2B.01

### SIGNS:



### REGULATION TIPS

- Clearly indicate vehicle parking areas, according to company policy and applicable regulations.
- Make sure signs and markings provide unified messages about restrictions, directions, and permissions at the site.

PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
TM13J	.080 Reflective Aluminum	24 x 24		
TM1G	.040 Aluminum	18 x 12		
TM2G	.040 Aluminum	18 x 12		
TM7J	.080 Reflective Aluminum	18 x 12		
TM54J	.080 Reflective Aluminum	18 x 12		
TM219J	.080 Reflective Aluminum	18 x 12		
TM48G	.040 Aluminum	18 x 12		
TM16G	.040 Aluminum	18 x 12		
TM134J	.080 Reflective Aluminum	18 x 12		
TM132J	.080 Reflective Aluminum	30 x 30		
TM61G	.040 Aluminum	18 x 12		



## ACCESSIBLE SIGNS

"Accessible parking spaces shall be designated as reserved by a sign showing the symbol of accessibility. Such signs shall be located so they cannot be obscured by a vehicle parked in the space".







**Reg: ADA 4.6.4**



### REGULATION TIPS

- Check with local and state regulations also to ensure full compliance.

TOTAL # PARKING SPACES	1-25	26-50	51-75	76-100	101-150	151-200	201-300	301-400	401-500
REQ MIN # ACCESSIBLE SPACES	1	2	3	4	5	6	7	8	9
REQ # VAN SPACES	1	1	1	1	1	1	1	1	2

	PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
	TM146J	.080 Reflective Aluminum	18 x 12		
	TM145J	.080 Reflective Aluminum	18 x 12		
	TM87H	.040 Aluminum	18 x 12		
	TMA2J	.080 Reflective Aluminum	6 x 12		
	TMA1G	.040 Aluminum	6 x 12		
	TMA3G	.040 Aluminum	6 x 12		

## STENCILS



VISITOR

FIRE LANE

PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
PMS50	.060 Polyethylene	38 x 34		
PMS44	.060 Polyethylene	4 x 15		
PMS41	.060 Polyethylene	4 x 22		

## ACCESSORIES



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
P8GR	Steel U-Channel Post	8'		
APB	Aluminum Base	15"		

### Nuts & Bolts



Part #	MATERIAL
NBS	Metal
SIZE (IN.)	QUANTITY
2.5 x 5/16"	
Location/Comments	

# Entry/Admittance

"Define specific hazards that could harm workers or the public, or both, or to property damage...for the warning of, or safety instructions of, industrial workers or members of the public who may be exposed to hazards."

**29 CFR 1910.145**



## REGULATION TIPS

- Control access with clearly indicated permissions or restrictions.

### SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
SN20RC	Rigid Plastic	14 x 20		
SN20AC	Aluminum	14 x 20		
SN18RC	Rigid Plastic	14 x 20		
SN18AC	Aluminum	14 x 20		
N297PB	Vinyl Adhesive	10 x 14		
N297RB	Rigid Plastic	10 x 14		
N297AB	Aluminum	10 x 14		
ESN375PB	Vinyl Adhesive	14 x 10		
ESN375RB	Rigid Plastic	14 x 10		
ESN375AB	Aluminum	14 x 10		
M350PB	Vinyl Adhesive	10 x 14		
M350RB	Rigid Plastic	10 x 14		
M350AB	Aluminum	10 x 14		
SSR	Rigid Plastic	12 x 12		
M118RB	Rigid Plastic	10 x 14		
M118AB	Aluminum	10 x 14		
ESN378PB	Vinyl Adhesive	14 x 10		
ESN378RB	Rigid Plastic	14 x 10		
ESN378AB	Aluminum	14 x 10		
D9P	Vinyl Adhesive	7 x 10		
D9PB	Vinyl Adhesive	10 x 14		
DPR	Rigid Plastic	7 x 10		
D9RB	Rigid Plastic	10 x 14		
D9AB	Aluminum	10 x 14		
D59P	Vinyl Adhesive	7 x 10		
D59PB	Vinyl Adhesive	10 x 14		
D59RB	Rigid Plastic	10 x 14		
D59AB	Aluminum	10 x 14		
D75R	Rigid Plastic	7 x 10		
D75RB	Rigid Plastic	10 x 14		

**NOTICE**  
ALL VEHICLES AND  
PERSONNEL ENTERING OR  
LEAVING THE PREMISES  
SUBJECT TO SEARCH

**NOTICE**  
FOR SECURITY REASONS  
INDIVIDUALS ENTERING OR  
LEAVING THE PREMISES MAY  
BE SUBJECT TO SEARCH OF  
THEIR VEHICLE, PARCELS,  
OR OTHER UNUSUAL ITEMS

**CAUTION**  
**RESTRICTED**  
**AREA**

**CAUTION**  
**NO**  
**ADMITTANCE**

**NOTICE**  
ALL VISITORS  
MUST REGISTER  
AT OFFICE

**NOTICE**  
**PRIVATE**  
**PROPERTY**  
**KEEP OUT**

**NOTICE**  
**NO**  
**SOLICITING**

**NO**  
**TRESPASSING**

**AUTHORIZED**  
**PERSONNEL**  
**ONLY**

**VENDORS AND**  
**VISITORS**  
**MUST REGISTER**  
**AT MAIN OFFICE**

**CAUTION**  
**DO NOT**  
**ENTER**

**DO NOT**  
**ENTER**

**CAUTION**  
**USE OTHER**  
**DOOR**

PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
N209P	Vinyl Adhesive	7 x 10		
N209PB	Vinyl Adhesive	10 x 14		
N209R	Rigid Plastic	7 x 10		
N209RB	Rigid Plastic	10 x 14		
N209AB	Aluminum	10 x 14		
M111RC	Rigid Plastic	14 x 20		
M111AC	Aluminum	14 x 20		
C597PB	Vinyl Adhesive	10 x 14		
C597RB	Rigid Plastic	10 x 14		
C597AB	Aluminum	10 x 14		
C560PB	Vinyl Adhesive	10 x 14		
C560RB	Rigid Plastic	10 x 14		
C560AB	Aluminum	10 x 14		
N119P	Vinyl Adhesive	7 x 10		
N119PB	Vinyl Adhesive	10 x 14		
N119R	Rigid Plastic	7 x 10		
N119RB	Rigid Plastic	10 x 14		
N119AB	Aluminum	10 x 14		
N219P	Vinyl Adhesive	7 x 10		
N219PB	Vinyl Adhesive	10 x 14		
N219R	Rigid Plastic	7 x 10		
N219RB	Rigid Plastic	10 x 14		
N219AB	Aluminum	10 x 14		
N317PB	Vinyl Adhesive	10 x 14		
N317RB	Rigid Plastic	10 x 14		
N317AB	Aluminum	10 x 14		
M58P	Vinyl Adhesive	7 x 10		
M58PB	Vinyl Adhesive	10 x 14		
M58R	Rigid Plastic	7 x 10		
M58RB	Rigid Plastic	10 x 14		
M58AB	Aluminum	10 x 14		
M38P	Vinyl Adhesive	7 x 10		
M38PB	Vinyl Adhesive	10 x 14		
M38R	Rigid Plastic	7 x 10		
M38RB	Rigid Plastic	10 x 14		
M38A	Aluminum	10 x 14		
M365P	Vinyl Adhesive	7 x 10		
M365R	Rigid Plastic	7 x 10		
M365RB	Rigid Plastic	10 x 14		
M365AB	Aluminum	10 x 14		
C135R	Rigid Plastic	7 x 10		
C135RB	Rigid Plastic	10 x 14		
GL63P	Vinyl Adhesive	7 x 10		
GL63R	Rigid Plastic	7 x 10		
C630PB	Vinyl Adhesive	10 x 14		
C630RB	Rigid Plastic	10 x 14		
C630AB	Aluminum	10 x 14		


## Labor Law

"[E]mployers, through posting of notices or other appropriate means, keep their employees informed of their protections and obligations, including the provisions of applicable standards."  
**29 USC 657(c)**

Also see:

Fair Labor Standards Act **29 USC 211**  
 Minimum Wage Rate, Notices **29 CFR 516.4**  
 Job Safety and Health Protection **29 CFR 1903.2**

### POSTERS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
LLP*	Poster	39 x 27		

\*Add state abbreviation to order.



### REGULATION TIPS

- Employers must post relevant legal information affecting all employees in a readily-visible location.
- Statutes and regulations vary by location and business type, as well as classification of workers by industry.
- Be familiar with applicable federal, state, and local requirements.

## Housekeeping

All places of employment, passageways, storerooms, and service rooms shall be kept clean and orderly and in a sanitary condition.  
**29 CFR 1910.22**

### SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
N278PB	Vinyl Adhesive	10 x 14		
N278RB	Rigid Plastic	10 x 14		
N278AB	Aluminum	10 x 14		
NBA8P	Vinyl Adhesive	10x 18		
NBA8R	Rigid Plastic	10 x 18		
EGA1PB	Vinyl Adhesive	14 x 10		
EGA1RB	Rigid Plastic	14 x 10		
C464PB	Vinyl Adhesive	10 x 14		
C464RB	Rigid Plastic	10 x 14		
C464AB	Aluminum	10 x 14		
C585PB	Vinyl Adhesive	10 x 14		
C585RB	Rigid Plastic	10 x 14		
C585AB	Aluminum	10 x 14		
SF131P	Vinyl Adhesive	7 x 10		
SF131PB	Vinyl Adhesive	10 x 14		
SF131R	Rigid Plastic	7 x 10		
SF131RB	Rigid Plastic	10 x 14		
SF131AB	Aluminum	10 x 14		



### REGULATION TIPS

- Keep workplaces clean, orderly, and free of obstacles and hazards.
- Encourage people to observe hygienic practices on the job and on breaks.

**SAFETY FIRST**  
KEEP THIS PLANT  
SAFE AND CLEAN

**NOTICE**  
THIS IS YOUR  
WORK AREA  
HELP KEEP  
IT CLEAN

**PICK IT UP!  
TO PREVENT FALLS**  
¡RECOJA TODO!  
PARA EVITAR CAÍDAS

**NOTICE**  
CLEAN  
EQUIPMENT  
AFTER USING

**Pitch  
In!**

**DEPOSIT TRASH  
HERE**


PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
SF130P	Vinyl Adhesive	7 x 10		
SF130PB	Vinyl Adhesive	10 x 14		
SF130R	Rigid Plastic	7 x 10		
SF130RB	Rigid Plastic	10 x 14		
ESN381PB	Vinyl Adhesive	14 x 10		
ESN381RB	Rigid Plastic	14 x 10		
ESN381AB	Aluminum	14 x 10		
M439PB	Vinyl Adhesive	10 x 14		
M439RB	Rigid Plastic	10 x 14		
N124P	Vinyl Adhesive	7 x 10		
N124PB	Vinyl Adhesive	10 x 14		
N124R	Rigid Plastic	7 x 10		
N124RB	Rigid Plastic	10 x 14		
N124AB	Aluminum	10 x 14		
S47P	Vinyl Adhesive	7 x 7		
S47R	Rigid Plastic	7 x 7		
ENV28PB	Vinyl Adhesive	10 x 14		
ENV28RB	Rigid Plastic	10 x 14		
ENV28AB	Aluminum	10 x 14		

#### BANNERS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
BT535	Polyethylene	36 x 60		

#### POSTER:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
PST112	Laminated Paper	18 x 24		

#### DIGITAL SCOREBOARD:



Part #	MATERIAL
DSB804	4mm Polyeth.
SIZE (IN.)	QUANTITY
20" x 28"	
Location/Comments	

#### FLOOR SIGN:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
FS1	Plastic	28 x 20		

# No Smoking

"Smoking shall be prohibited at or in the vicinity of operations which constitute a fire hazard, and shall be conspicuously posted: 'No Smoking or Open Flame.'" 29 CFR 1926.151



## REGULATION TIPS

- Designate "No Smoking" areas clearly so employees and visitors are aware of restrictions and permitted smoking areas. Incorporate state and local ordinances as well.

## SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
FMORB	Rigid Plastic	10 x 14		
FMOAB	Aluminum	10 x 14		
S1P	Vinyl Adhesive	7 x 10		
S1R	Rigid Plastic	8 x 10		
D79P	Vinyl Adhesive	7 x 10		
D79PB	Vinyl Adhesive	10 x 14		
D79R	Rigid Plastic	7 x 10		
D79RB	Rigid Plastic	10 x 14		
D79AB	Aluminum	10 x 14		
D217P	Vinyl Adhesive	7 x 10		
D217PB	Vinyl Adhesive	10 x 14		
D217R	Rigid Plastic	7 x 10		
D217RB	Rigid Plastic	10 x 14		
D217A	Aluminum	7 x 10		
D217AB	Aluminum	10 x 14		
D126P	Vinyl Adhesive	7 x 10		
D126PB	Vinyl Adhesive	10 x 14		
D126R	Rigid Plastic	7 x 10		
D126RB	Rigid Plastic	10 x 14		
D126A	Aluminum	7 x 10		
D126AB	Aluminum	10 x 14		
DGA7P	Vinyl Adhesive	10 x 7		
DGA7PB	Vinyl Adhesive	14 x 10		
DGA7R	Rigid Plastic	10 x 7		
DGA7RB	Rigid Plastic	14 x 10		
DGA7AB	Aluminum	14 x 10		
C360P	Vinyl Adhesive	7 x 10		
C360PB	Vinyl Adhesive	10 x 14		
N172P	Vinyl Adhesive	7 x 10		
N172PB	Vinyl Adhesive	10 x 14		
N172RB	Rigid Plastic	10 x 14		
N172A	Aluminum	7 x 10		
NGA1P	Vinyl Adhesive	7 x 10		
NGA1PB	Vinyl Adhesive	10 x 14		
NGA1R	Rigid Plastic	7 x 10		
NGA1RB	Rigid Plastic	10 x 14		
SA190P	Vinyl Adhesive	7 x 17		
SA190R	Rigid Plastic	7 x 17		
N155P	Vinyl Adhesive	7 x 10		
N155PB	Vinyl Adhesive	10 x 14		
N155R	Rigid Plastic	7 x 10		
N155RB	Rigid Plastic	10 x 14		



**NO SMOKING****DESIGNATED  
SMOKING  
AREA****SMOKING  
AREA****SECURITY NOTICE**  
DESIGNATED  
SMOKING AREA  
**AVISO DE LA SEGURIDAD**  
AREA  
DESIGNADA  
PARA FUMAR

PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
M11P M11R	Vinyl Adhesive Rigid Plastic	4 x 12 4 x 12		
M701P M701PB M701R M701RB	Vinyl Adhesive Vinyl Adhesive Rigid Plastic Rigid Plastic	7 x 10 10 x 14 7 x 10 10 x 14		
M114RB M114AB	Rigid Plastic Aluminum	10 x 14 10 x 14		
ESSN102RB ESSN102AB	Rigid Plastic Aluminum	14 x 10 14 x 10		
S44P S44R	Rigid Plastic Rigid Plastic	7 x 10 10 x 14		

**VISI-SIGNS™ AND FLANGED 2-VUE™ SIGNS:***Flanged 2-Vue™ signs project from wall at 90° angle.*

PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
VS9W VS19W	3-mm PVC 3-mm PVC	6 x 9 8 x 15		
TV9 GLTV9	Rigid Plastic Rigid Plastic	10 x 8 10 x 8		

**DIGITAL SCOREBOARD:**

PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
DSB66	Plastic	28 x 20		

**SAFE SMOKERS™:**

PART #	COLOR	SIZE (IN.)	QTY	LOCATION/COMMENTS
OPM0100	Gray	5 Quart		
OPM0101	Beige	5 Quart		
OPM0102	Gray	4 Gallon		
OPM0103	Beige	4 Gallon		

**STENCILS:**

Part #	MATERIAL
PMS207	Plastic
SIZE (IN.)	QUANTITY
24" x 24"	
Location/ Comments	

# ADA/ACCESSIBILITY

"Tactile text descriptors are required for pictograms that are provided to label or identify a permanent room or space. Pictograms that provide information about a room or space... are not required to have text descriptors."


## 2010 ADA Standards for Accessible Design 216.2

### BRaille SIGNS:



PART #	COLOR	SIZE (IN.)	QTY	LOCATION/COMMENTS
ADA4WBL	Blue	8 x 8		
ADA4WBK	Black	8 x 8		
ADA4WGR	Gray	8 x 8		
ADA4WBR	Brown	8 x 8		
ADA5WBL	Blue	8 x 8		
ADA5WBK	Black	8 x 8		
ADA5WGR	Gray	8 x 8		
ADA5WBR	Brown	8 x 8		
ADA17WBL	Blue	8 x 8		
ADA17WBK	Black	8 x 8		
ADA17WGR	Gray	8 x 8		
ADA17WBR	Brown	8 x 8		
ADA9WBL	Blue	8 x 8		
ADA9WBK	Black	8 x 8		
ADA9WGR	Gray	8 x 8		
ADA9WBR	Brown	8 x 8		
ADA14WBL	Blue	8 x 8		
ADA14WBK	Black	8 x 8		
ADA14WGR	Gray	8 x 8		
ADA14WBR	Brown	8 x 8		

### ENGRAVED SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
EN301BK	Rigid Plastic	2 x 10		
EN302BK	Rigid Plastic	2 x 10		

### SEE SIGNS™:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
S23P	Vinyl Adhesive	7 x 7		
S23R	Rigid Plastic	7 x 7		
S98P	Vinyl Adhesive	7 x 7		
S98R	Rigid Plastic	7 x 7		
S72P	Vinyl Adhesive	7 x 7		
S72R	Rigid Plastic	7 x 7		



### REGULATION TIPS

- Check for additional local regulations.

# EXTINGUISHERS

"Fire extinguishers must be mounted, located, and identified so they are readily accessible to employees. ... The employer shall assure that portable fire extinguishers are subjected to an annual maintenance check." **29 CFR 1910.157**



## REGULATION TIPS

- Check for state and local regulations and required permits and/or inspections.

Where signs are used to indicate the fire extinguisher location, the signs shall comply with the following:

- (1) They shall be located in close proximity to the fire extinguisher.
- (2) They shall be visible from the normal path of travel." **NFPA 10 6.1.3.3.3**


## FIRE EXTINGUISHER:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
M23P	Vinyl Adhesive	18 x 4		
M23R	Rigid Plastic	18 x 4		
M23A	Aluminum	18 x 4		
GL23P	Vinyl Adhesive	18 x 4		
GL23R	Rigid Plastic	18 x 4		
M39P	Vinyl Adhesive	24 x 4		
M39R	Rigid Plastic	24 x 4		
M39A	Aluminum	24 x 4		
M126P	Vinyl Adhesive	18 x 4		
M126R	Rigid Plastic	18 x 4		

## Visi-Signs™ Signs:

Durable Visi Signs™ project at 45° angle. Reg: NFPA 101, Section 7.10.1.2



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
VS42W	3-mm PVC	16 x 9		
GLV42	3-mm PVC	16 x 9		
GLV30	3-mm PVC	6 x 9		
GLV31	3-mm PVC	6 x 9		

## LABELS - PACKS OF 25:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
M715AP	Vinyl Adhesive	12 x 4		

## FLANGED SIGN:



Part #	MATERIAL
FX124R	Plastic
SIZE (IN.)	QUANTITY
12 x 4	
Location/ Comments	

## FIRE SIGNS AND LABELS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
FGA1P	Vinyl Adhesive	10 x 7		
FGA1PB	Vinyl Adhesive	14 x 10		
FGA1R	Rigid Plastic	10 x 7		
FGA1RB	Rigid Plastic	14 x 10		
GFGA1P	Glow Vinyl	10 x 7		
GFGA1R	Glow Rigid	10 x 7		
FBA3P	Vinyl Adhesive	10 x 18		
FBA3R	Rigid Plastic	10 x 18		
PCIABC	Vinyl Adhesive	3.75 x 5		
PCIBC	Vinyl Adhesive	3.75 x 5		
M122PB	Vinyl Adhesive	10 x 14		
M122RB	Rigid Plastic	10 x 14		
GL164PB	Glow Vinyl	10 x 10		
GL164RB	Glow Rigid	10 x 14		
M28PP	Vinyl Adhesive	3 x 5		
M28P	Vinyl Adhesive	6 x 9		
M28R	Rigid Plastic	6 x 9		
GL134P	Glow Vinyl	6 x 9		
M720PB	Vinyl Adhesive	10 x 14		
M720RB	Rigid Plastic	10 x 14		
M720AB	Aluminum	10 x 14		

## FLOOR SIGN:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
WFS10	Vinyl Anti-Skid	17		
GWFS10	Glow Vinyl Anti-Skid Laminate	17		

## TAG:



PART#	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
RPT26	Unrippable Vinyl	6 x 3		

## POSTER:



PART#	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
PST003	Laminated Paper	24 x 18		

## JOB SITE CADDY:



Part #	MATERIAL
JSC	Plastic
SIZE (IN.)	QUANTITY
-	
Location/Comments	

# EXIT

"An exit route must be permanent. Each exit route must be a permanent part of the workplace." **29 CFR 1910.36(a)(1)**

"Each exit sign must have the word 'Exit' in plainly legible letters not less than six inches (15.2 cm) high, with the principal strokes of the letters in the word 'Exit' not less than three-fourths of an inch (1.9 cm) wide." **29 CFR 1910.37(b)(7)**

"Exit routes must be free and unobstructed. ... Each exit must be clearly visible and marked by a sign reading 'EXIT'" **29 CFR 1910.37**

"Exit sign placement shall not exceed the rated viewing distance or 100 ft., whichever is less, from the nearest sign... visible from all angles." **NFPA 101 (Life Safety Code) Section 7.10**

"An interior exit stairway and ramp shall not continue below its level of exit discharge unless an approved barrier is provided at the level of exit discharge to prevent persons from unintentionally continuing into levels below." **IFC 1022.8**



## REGULATION TIPS

- To determine the correct number of exit routes for the facility and other requirements, consult **NFPA 101; Life Safety Code Section 7.4 OSHA's Exit Fact Sheet**.

## EXIT SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
M24P	Vinyl Adhesive	7 x 10		
M24PB	Vinyl Adhesive	10 x 14		
M24R	Rigid Plastic	7 x 10		
M24RB	Rigid Plastic	10 x 14		
M24A	Aluminum	7 x 10		
M24AB	Aluminum	10 x 14		
GL12P	Vinyl Adhesive	7 x 10		
GL12PB	Vinyl Adhesive	10 x 14		
GL12R	Rigid Plastic	7 x 10		
GL12RB	Rigid Plastic	10 x 14		
M34P	Vinyl Adhesive	7 x 10		
M34PB	Vinyl Adhesive	10 x 14		
M34R	Rigid Plastic	7 x 10		
M34RB	Rigid Plastic	10 x 14		
M34A	Aluminum	7 x 10		
M718PB	Vinyl Adhesive	10 x 14		
M718RB	Rigid Plastic	10 x 14		
M718AB	Aluminum	10 x 14		
M753PB	Vinyl Adhesive	10 x 14		
M753RB	Rigid Plastic	10 x 14		
M753AB	Aluminum	10 x 14		

## NOT AN EXIT SIGNS:

"Each doorway that could be mistaken for an exit must be marked "NOT AN EXIT" or similar language or be identified by a sign indicating its actual use (e.g., closet)." **29 CFR 1910.37 (b)(5)**



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
M27P	Vinyl Adhesive	7 x 10		
M27PB	Vinyl Adhesive	10 x 14		
M27R	Rigid Plastic	7 x 10		
M27RB	Rigid Plastic	10 x 14		
M27A	Aluminum	7 x 10		
M27AB	Aluminum	10 x 14		
GL15P	Vinyl Adhesive	7 x 10		
GL15PB	Vinyl Adhesive	10 x 14		
GL15R	Rigid Plastic	7 x 10		
GL15RB	Rigid Plastic	10 x 14		



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
M357PC	Vinyl Adhesive	20 x 14		
M357RC	Rigid Plastic	20 x 14		
M779P	Vinyl Adhesive	4 x 5		
M779R	Rigid Plastic	4 x 5		

**LIGHTED:**

"Electrically powered, self-luminous and photoluminescent exit signs shall be listed and labeled in accordance with UL 924 and shall be installed in accordance with the manufacturer's instructions and Chapter 27. Exit signs shall be illuminated at all times." **IBC 1011.5**



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
LES	LED Lighted Exit Sign W/Battery Backup	6" Letters		
LESL	Emergency Lights	-		

**PHOTOLUMINESCENT:**

"Each exit sign must be illuminated to a surface value of at least five foot-candles (54 lux) by a reliable light source and be distinctive in color. Self-luminous or electroluminescent signs that have a minimum luminance surface value of at least .06 footlamberts (0.21cd/m2) are permitted." **29 CFR 1910.37 (b) (6)**

**REGULATION TIPS**

- Photoluminescence glows for up to 8 hours, in compliance with OSHA regulations.
- Eco-exit signs meet the following standards: UL 924 listed, NFPA 101, 2009 IBC/IFC.



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
7210	Eco Exit™ Plastic Photoluminescent	7.250 x 13		
7220	Eco Exit™ Plastic Photoluminescent	7.250 x 13		
GL17P	Vinyl Adhesive	10 x 10		
GL17R	Rigid Plastic	10 x 10		
GL17P	Vinyl Adhesive	10 x 10		
GL17R	Rigid Plastic	10 x 10		
M718PB	Rigid Plastic	10 x 14		
M718RB	Aluminum	10 x 14		



# General

"[D]efine specific hazards that could harm workers or the public, or both, or to property damage...for the warning of, or safety instructions of, industrial workers or members of the public who may be exposed to hazards." **29 CFR 1910.145**

## SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
D1P	Vinyl Adhesive	7 x 10		
D1PB	Vinyl Adhesive	10 x 14		
D1R	Rigid Plastic	7 x 10		
D1RB	Rigid Plastic	10 x 14		
D1AB	Aluminum	10 x 14		
C1P	Vinyl Adhesive	7 x 10		
C1PB	Vinyl Adhesive	10 x 14		
C1R	Rigid Plastic	7 x 10		
C1RB	Rigid Plastic	10 x 14		
C1AB	Aluminum	10 x 14		
N1P	Vinyl Adhesive	7 x 10		
N1PB	Vinyl Adhesive	10 x 14		
N1R	Rigid Plastic	7 x 10		
N1RB	Rigid Plastic	10 x 14		
N1AB	Aluminum	10 x 14		
W1P	Vinyl Adhesive	7 x 10		
W1PB	Vinyl Adhesive	10 x 14		
W1R	Rigid Plastic	7 x 10		
W1RB	Rigid Plastic	10 x 14		
W1AB	Aluminum	7 x 10		

# PPE

"Protective equipment... shall be provided, used, and maintained in a sanitary and reliable condition wherever it is necessary by reason of hazards." **29 CFR 1910.132**

"The employer shall ensure that each affected employee uses appropriate eye or face protection when exposed to eye or face hazards from flying particles, molten metal, liquid chemicals, acids or caustic liquids, chemical gases or vapors, or potentially injurious light radiation." **29 CFR 1910.133**

"Wherever it is not feasible to reduce the noise levels or duration of exposures to those specified in Table D-2, Permissible Noise Exposure, ear protective devices shall be provided and used" **29 CFR 1926.52**



## REGULATION TIPS

- See page 27 for Eyewash and Emergency Shower signs.
- Visit OSHA's eTool to help select proper equipment and understand requirements.

## SIGNS:



PART#	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
D46PB	Vinyl Adhesive	10 x 14		
D46R	Rigid Plastic	7 x 10		
D46RB	Rigid Plastic	10 x 14		
D46AB	Aluminum	10 x 14		
ESD46PB	Vinyl Adhesive	14 x 10		
ESD46PC	Vinyl Adhesive	20 x 14		
ESDRB	Rigid Plastic	14 x 10		
ESD46RC	Rigid Plastic	20 x 14		
D528PB	Vinyl Adhesive	7 x 10		
D528RB	Vinyl Adhesive	10 x 14		
D528A	Rigid Plastic	7 x 10		
D528AB	Rigid Plastic	10 x 14		
C160P	Vinyl Adhesive	7 x 10		
C160PB	Vinyl Adhesive	10 x 14		
C160R	Rigid Plastic	7 x 10		
C160RB	Rigid Plastic	10 x 14		
C160A	Aluminum	7 x 10		
C160AB	Aluminum	10 x 14		



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
D201P	Vinyl Adhesive	7 x 10		
D201PB	Vinyl Adhesive	10 x 14		
D201R	Rigid Plastic	7 x 10		
D201RB	Rigid Plastic	10 x 14		
D201A	Aluminum	7 x 10		
D201AB	Aluminum	10 x 14		
C31P	Vinyl Adhesive	7 x 10		
C31PB	Vinyl Adhesive	10 x 14		
C31R	Rigid Plastic	7 x 10		
C31RB	Rigid Plastic	10 x 14		
C31A	Aluminum	7 x 10		
C31AB	Aluminum	10 x 14		
C31P	Vinyl Adhesive	7 x 10		
C31PB	Vinyl Adhesive	10 x 14		
C31R	Rigid Plastic	7 x 10		
C31RB	Rigid Plastic	10 x 14		
C31A	Aluminum	7 x 10		
C31AB	Aluminum	10 x 14		
C26P	Vinyl Adhesive	7 x 10		
C26PB	Vinyl Adhesive	10 x 14		
C26R	Rigid Plastic	7 x 10		
C26RB	Rigid Plastic	10 x 14		
C26A	Aluminum	7 x 10		
C26AB	Aluminum	10 x 14		
C395PB	Vinyl Adhesive	10 x 14		
C395RB	Rigid Plastic	10 x 14		
C395A	Aluminum	7 x 10		
C395AB	Aluminum	10 x 14		
C484PB	Vinyl Adhesive	10 x 14		
C484RB	Rigid Plastic	10 x 14		
C484A	Aluminum	7 x 10		
C484AB	Aluminum	10 x 14		
D169P	Vinyl Adhesive	7 x 10		
D169PB	Vinyl Adhesive	10 x 14		
D169R	Rigid Plastic	7 x 10		
D169RB	Rigid Plastic	10 x 14		
D169A	Aluminum	7 x 10		
N18P	Vinyl Adhesive	7 x 10		
N18PB	Vinyl Adhesive	10 x 14		
N18R	Rigid Plastic	7 x 10		
N18RB	Rigid Plastic	10 x 14		
N18A	Aluminum	7 x 10		
N18AB	Aluminum	10 x 14		
D624PB	Vinyl Adhesive	10 x 14		
D624RB	Rigid Plastic	10 x 14		
D624AB	Aluminum	10 x 14		
D464P	Vinyl Adhesive	7 x 10		
D464PB	Vinyl Adhesive	10 x 14		
D464R	Rigid Plastic	7 x 10		
D464RB	Rigid Plastic	10 x 14		
D464AB	Aluminum	10 x 14		
SPC10P	Vinyl Adhesive	14 x 10		
SPC10R	Rigid Plastic	14 x 10		

# Lockout/Tagout


"This standard covers the servicing and maintenance of machines and equipment in which the unexpected energization or start up of the machines or equipment, or release of stored energy, could harm employees." **29 CFR 1910.147**



## REGULATION TIPS

- See OSHA's 1910.147 Appendix A for a sample minimum lockout procedure to get started.

## SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
D664PB	Vinyl Adhesive	10 x 14		
D664RB	Rigid Plastic	10 x 14		
D664AB	Aluminum	10 x 14		
DBA12P	Vinyl Adhesive	10 x 18		
DBA12R	Rigid Plastic	10 x 18		
CGA4P	Vinyl Adhesive	14 x 10		
CGA4R	Rigid Plastic	10 x 7		
CGA4RB	Rigid Plastic	14 x 10		
N140PB	Vinyl Adhesive	10 x 14		
N140RB	Rigid Plastic	10 x 14		
N140AB	Aluminum	10 x 14		
ESD377AP	Vinyl Adhesive	3 x 5		

## LOCKOUT KITS:



PART #	LOCKOUT KIT	SIZE	QTY	LOCATION/COMMENTS
ELOK1	Portable Lockout Kit			
ELOK2	Electrical Lockout Kit			
BLOK3	Lockout Pouch			
BLOK4	Small Lockout Pouch			

**LOCKOUT CENTER:**

PART #	MATERIAL	SIZE	QTY	LOCATION/COMMENTS
LOB1Y	Lockout Center	-		
LOT03	Lockout Tagout Center	16 x 16		

**LOCKOUT TAGS PACKS OF 25:**

PART #	MATERIAL
LLT1	Laminated Tag
SIZE (IN.)	QUANTITY
6 x 3	
Location/Comments	



PART #	MATERIAL
LOTAG1	Unrippable Vinyl
SIZE (IN.)	QUANTITY
6 x 3	
Location/Comments	

**LOCKOUT TAGS PACKS OF 10:**

PART #	MATERIAL
LOTAG30	Synthetic Paper
SIZE (IN.)	QUANTITY
6 x 3	
Location/Comments	



PART #	MATERIAL
JMTAG2	Unrippable Vinyl
SIZE (IN.)	QUANTITY
6 x 3	
Location/Comments	

**LOCKOUT FLOOR SIGN:**

PART#	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
FS13	Polyethylene	12 x 19		

**LOCKOUT CABINET:**

PART#	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
LOC1	Lockout Cabinet, Equipped White	-		

# Electrical/Arc Flash

"Safety signs, safety symbols, or accident prevention tags shall be used where necessary to warn employees about electrical hazards which may endanger them, as required by **1910.145," 29 CFR 1910.335(b)(1)**




## REGULATION TIPS

- The new definition of an Arc Flash in NFPA 70E Section 110.1 revision as "a dangerous condition associated with the possible release of energy caused by an electric arc" makes it more important to label potential sites to avoid injuries to workers.

"Entrances to rooms and other guarded locations containing exposed live parts shall be marked with conspicuous warning signs forbidding unqualified persons to enter." **29 CFR 1910.303(g)(2)(iii)**

"Covers for boxes shall be permanently marked 'HIGH VOLTAGE.' The marking shall be on the outside of the box cover and shall be readily visible and legible." **29 CFR 1910.305(b)(3)**

### SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
D49P	Vinyl Adhesive	7 x 10		
D49PB	Vinyl Adhesive	10 x 14		
D49R	Rigid Plastic	7 x 10		
D49RB	Rigid Plastic	10 x 14		
D49A	Aluminum	7 x 10		
D49AB	Aluminum	10 x 14		
D421P	Vinyl Adhesive	7 x 10		
D421PB	Vinyl Adhesive	10 x 14		
D421R	Rigid Plastic	7 x 10		
D421RB	Rigid Plastic	10 x 14		
D421A	Aluminum	7 x 10		
D421AB	Aluminum	10 x 14		
D139P	Vinyl Adhesive	7 x 10		
D139PB	Vinyl Adhesive	10 x 14		
D139R	Rigid Plastic	7 x 10		
D139RB	Rigid Plastic	10 x 14		
D139A	Aluminum	7 x 10		
D139AB	Aluminum	10 x 14		
C115P	Vinyl Adhesive	7 x 10		
C115PB	Vinyl Adhesive	10 x 14		
C115R	Rigid Plastic	7 x 10		
C115RB	Rigid Plastic	10 x 14		
C115A	Aluminum	7 x 10		
N164P	Vinyl Adhesive	7 x 10		
N164PB	Vinyl Adhesive	10 x 14		
N164R	Rigid Plastic	7 x 10		
N164RB	Rigid Plastic	10 x 14		
N164AB	Aluminum	10 x 14		
D31P	Vinyl Adhesive	7 x 10		
D31PB	Vinyl Adhesive	10 x 14		
D31R	Rigid Plastic	7 x 10		
D31RB	Rigid Plastic	10 x 14		
D31AB	Aluminum	10 x 14		

### ARC FLASH LABELS:



PART #	MATERIAL	SIZE	QTY	LOCATION/COMMENTS
DGA58AP	Vinyl Adhesive	3 x 5		
WGA35AP	Vinyl Adhesive	3 x 5		

### VOLTAGE MARKERS:

**220 VOLTS**

**ELECTRICAL**

PART #	MATERIAL	SIZE	QTY	LOCATION/COMMENTS
JL220050	Vinyl	1.125 x 4.5		
JL220490	Vinyl	1.125 x 4.5		

### STENCIL:



Part #	MATERIAL
PMS236	Plastic
SIZE (IN.)	QUANTITY
24 x 24	
Location/Comments	

PRODUCTION

# MACHINE SAFETY

"One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks."  
**29 CFR 1910.212(a)(1) Also NEC 430.102.**

## LABELS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
D637AP	Vinyl Adhesive	3 x 5		
D640AP	Vinyl Adhesive	3 x 5		
D51AP	Vinyl Adhesive	3 x 5		
C79AP	Vinyl Adhesive	3 x 5		
N366AP	Vinyl Adhesive	3 x 5		
EPA2AP	Vinyl Adhesive	3 x 5		
EPA5AP	Vinyl Adhesive	3 x 5		
DGA54AP	Vinyl Adhesive	3 x 5		



## REGULATION TIPS

- Signs and labels are a form of guarding because they alert workers to potential hazards
- Specific policies exist for woodworking, abrasive wheels, mills, power presses, bakery, telecommunications, marine, and other industries. See OSHA standards for unique applications.

# CYLINDERS

"Compressed gas cylinders shall be secured in an upright position at all times except, if necessary, for short periods of time while cylinders are actually being hoisted or carried."  
**29 CFR 1926.350(a)(9)**

## SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
M746PB	Vinyl Adhesive	10 x 14		
M746RB	Rigid Plastic	10 x 14		
M746AB	Aluminum	10 x 14		
M744PB	Vinyl Adhesive	10 x 14		
M744RB	Rigid Plastic	10 x 14		
M744AB	Aluminum	10 x 14		



## REGULATION TIPS

- Keep cylinders chained to prevent being knocked over, and always close valve when not in use.



**NOTICE**  
**EMPTY**  
**CYLINDERS**

**NOTICE**  
**FULL**  
**CYLINDERS**

**NOTICE**  
**KEEP ALL**  
**CYLINDERS**  
**CHAINED**

PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
N24P	Vinyl Adhesive	7 x 10		
N124PB	Vinyl Adhesive	10 x 14		
N124R	Rigid Plastic	7 x 10		
N124RB	Rigid Plastic	10 x 14		
N124A	Aluminum	7 x 10		
N124AB	Aluminum	10 x 14		
N26P	Vinyl Adhesive	7 x 10		
N26PB	Vinyl Adhesive	10 x 14		
N26R	Rigid Plastic	7 x 10		
N26RB	Rigid Plastic	10 x 14		
N26A	Aluminum	7 x 10		
N26AB	Aluminum	10 x 14		
N289PB	Vinyl Adhesive	10 x 14		
N289RB	Rigid Plastic	10 x 14		
N289AB	Aluminum	10 x 14		

#### CYLINDER TAGS PACK OF 25:



PART #	MATERIAL
RPT35	Laminated Tag
SIZE (IN.)	QUANTITY
6 x 3	
Location/Comments	



PART #	MATERIAL
RPT36	Unrippable Vinyl
SIZE (IN.)	QUANTITY
6 x 3	
Location/Comments	

#### CYLINDER LABELS 25 PACK:




Part #	MATERIAL
CY105AP	Plastic
SIZE (IN.)	QUANTITY
2 x 5.250	
Location/Comments	

## WASTE

"Anyone preparing "a hazardous material for transportation shall mark each package, freight container, and transport vehicle containing the hazardous material in the manner required" **49 CFR 172.300**

#### LABELS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
HW1	25/Pack Vinyl Adhesive	6 x 6		
HW9SL5	Self Lam Labels 5/Pack	6 x 6		
HW9SL25	Self Lam Labels 25/Pack	6 x 6		
HW9SL100	Self Lam Labels Roll of 100	6 x 6		



#### REGULATION TIPS

- Hazardous waste is regulated by the DOT for transport and the EPA for disposal. Ensure storage container labels comply with these regs for their next steps.

# CONFINED SPACE

"If the workplace contains [confined space required] permit spaces, the employer shall inform exposed employees, by posting danger signs or by any other equally effective means, of the existence and location of and the danger posed by the permit spaces.

NOTE: A sign reading DANGER -- PERMIT-REQUIRED CONFINED SPACE, DO NOT ENTER or using other similar language would satisfy the requirement for a sign." **29 CFR 1910.146( c)(2)**



## REGULATION TIPS

- Though no specific regulation exists for the Construction Industry, see 29 CFR 1926.211 for guidelines.

## SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
D162P	Vinyl Adhesive	7 x 10		
D162PB	Vinyl Adhesive	10 x 14		
D162R	Rigid Plastic	7 x 10		
D162RB	Rigid Plastic	10 x 14		
D162A	Aluminum	7 x 10		
D162AB	Aluminum	10 x 14		
D277P	Vinyl Adhesive	7 x 10		
D277PB	Vinyl Adhesive	10 x 14		
D277R	Rigid Plastic	7 x 10		
D277RB	Rigid Plastic	10 x 14		
D277A	Aluminum	7 x 10		
D277AB	Aluminum	10 x 14		
D360P	Vinyl Adhesive	7 x 10		
D360PB	Vinyl Adhesive	10 x 14		
D360R	Rigid Plastic	7 x 10		
D360RB	Rigid Plastic	10 x 14		
D360A	Aluminum	7 x 10		
D360AB	Aluminum	10 x 14		
D373P	Vinyl Adhesive	7 x 10		
C373PB	Vinyl Adhesive	10 x 14		
C373RB	Rigid Plastic	10 x 14		
C373A	Aluminum	7 x 10		
D487PB	Vinyl Adhesive	10 x 14		
D487RB	Rigid Plastic	7 x 10		
D487A	Aluminum	10 x 14		
D487AB	Aluminum	10 x 14		
D643P	Vinyl Adhesive	7 x 10		
D643PB	Vinyl Adhesive	10 x 14		
D643R	Rigid Plastic	7 x 10		
D643RB	Rigid Plastic	10 x 14		
D643AB	Aluminum	10 x 14		

## Centers:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
EPH	<b>Confined Space Entry Permit Holder</b> Includes Holder, and 25 Carbonless Entry Permits	16 x 22		
CSC	<b>Confined Space Safety Center</b> Includes Board, 25 Carbonless Entry Permits, 1 Confined Space Rescue Binder, 2 Confined Space Handbooks	28 x 32		

# SHIPPING

Marking for shipment falls under DOT regulations  
**49 CFR, Subpart D, Part 172.**  
 Labeling is **49 CFR subpart E Part 172**  
 Placarding is **49 CFR subpart F Part 172**

## DOT SIGNS AND LABELS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
DL12AL	500/Roll Pressure Sensitive Paper	4 x 4		
DL40BP	Vinyl Adhesive	10.75 x 10.75		
DL42BP	Vinyl Adhesive	10.75 x 10.75		
DL161AL	500/Roll Pressure Sensitive Paper	4 x 4		
DL158R	Rigid Plastic	10.75 x 10.75		

## SHIPPING LABELS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
HW30AL	500/Roll Pressure Sensitive Paper	4 x 6		
IHL15AL	500/Roll Pressure Sensitive Paper	4 x 3		
IHL2AL	500/Roll Pressure Sensitive Paper	4 x 4		

## SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
C434PB	Vinyl Adhesive	10 x 14		
C434RB	Rigid Plastic	10 x 14		
C434AB	Aluminum	10 x 14		
C546PB	Vinyl Adhesive	10 x 14		
C546RB	Rigid Plastic	10 x 14		
C546AB	Aluminum	10 x 14		
N372PB	Vinyl Adhesive	10 x 14		
N372RB	Rigid Plastic	10 x 14		
N372AB	Aluminum	10 x 14		

## REGULATION TIPS

- DOT/FMCSA regulations require braking system "capable of holding the vehicle or combination of vehicles stationary under any condition... [including] sufficient chocking blocks to prevent movement when parked."

## Rubber Wheel Chock:



Part #	MATERIAL
WCR2C	Rubber
SIZE (IN.)	QUANTITY
10.5 x 8.5	
Location/ Comments	

WAREHOUSE / SHIPPING

## FORKLIFT

"Training... shall be required when:...a condition in the work-place changes in a manner that could affect safe operation of the truck." **29 CFR 1910.178(l)(4)(ii)(E)**



### REGULATION TIPS

- OSHA requirements for fork lift and other industrial powered trucks include continual training and operations in safe settings. This includes posting signs in the area(s) of operation.

### SIGNS:




PART#	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
C215P	Vinyl Adhesive	7 x 10		
C215PB	Vinyl Adhesive	10 x 14		
C215R	Rigid Plastic	7 x 10		
C215RB	Rigid Plastic	10 x 14		
C215AB	Aluminum	7 x 10		
D594PB	Vinyl Adhesive	10 x 14		
D594RB	Rigid Plastic	10 x 14		
D594AB	Aluminum	10 x 14		

### FLOOR SIGNS AND FLOOR STENCIL:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
WFS34	Adhesive Vinyl W/Anti Skid Laminate	17 x 17		
PMS231BI	Polyethylene	24 x 24		

### POSTER:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
PST111	Laminated Paper	18x 24		

## HALLWAY & AISLES

"All places of employment, passageways, storerooms, and service rooms shall be kept clean and orderly and in a sanitary condition ...Permanent aisles and passageways shall be appropriately marked." **29 CFR 1910.22(b)(2)**



### REGULATION TIPS

- OSHA recommends that aisles be at least 3 feet wider than the largest equipment to be utilized, or a minimum of 4 feet, and delineated with markings between 2" & 6" wide.

### SIGNS:



PART#	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
C203P	Vinyl Adhesive	7 x 10		
C203PB	Vinyl Adhesive	10 x 14		
C203R	Rigid Plastic	7 x 10		
C203RB	Rigid Plastic	10 x 14		
C203AB	Aluminum	7 x 10		
C57PB	Vinyl Adhesive	10 x 14		
C57RB	Rigid Plastic	10 x 14		
C57AB	Aluminum	10 x 14		

## FLOOR SIGNS:



PART #	MATERIAL	SIZE	QTY	LOCATION/COMMENTS
WFS12	Vinyl	17"		

## ASPHALT ART:



PART #	DESCRIPTION	SIZE	MATERIAL	QTY.	NOTES

## FIRST AID

"Adequate first aid supplies shall be readily available."  
29 CFR 1910.151

"First aid supplies shall be easily accessible when required."  
29 CFR 1926.50(d)(1)



### REGULATION TIPS

- ANSI Z558.1 specifies water delivered to emergency showers and eyewash stations be tepid and the mixing valve tested regularly.

## SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
C215PB	Vinyl Adhesive	14 x 10		
C215RB	Rigid Plastic	14 x 10		
C215AB	Aluminum	14 x 10		
SF162PB	Vinyl Adhesive	10 x 14		
SF162RB	Vinyl Adhesive	10 x 14		
SF162AB	Rigid Plastic	10 x 14		

## VISI AND FLANGED SIGNS:

Where the eyes or body of any person may be exposed to injurious corrosive materials, suitable facilities for quick drenching or flushing of the eyes and body shall be provided within the work area for immediate emergency use."

29 CFR 1910.151



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
TV1	3-mm PVC	10 x 8		
VS7W	3-mm PVC	6 x 9		
VS21w	3-mm PVC	6 x 9		

# FALLS

"Scaffolds and scaffold components shall be inspected for visible defects by a competent person before each work shift, and after any occurrence which could affect a scaffold's structural integrity." 29 CFR 1926.451

## SIGNS:



PART#	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
D529PB	Vinyl Adhesive	10 x 14		
D529RB	Rigid Plastic	10 x 14		
D529A	Aluminum	7 x 10		
D529AB	Aluminum	10 x 14		
D528PB	Vinyl Adhesive	10 x 14		
D528RB	Rigid Plastic	10 x 14		
D528A	Aluminum	7 x 10		
D528AB	Aluminum	10 x 14		
C680PB	Vinyl Adhesive	10 x 14		
C680RB	Rigid Plastic	10 x 14		
C680AB	Aluminum	10 x 14		
N281PB	Vinyl Adhesive	10 x 14		
N281RB	Rigid Plastic	10 x 14		
N281AB	Aluminum	10 x 14		
N502PB	Vinyl Adhesive	10 x 14		
N502RB	Rigid Plastic	10 x 14		
N502AB	Aluminum	10 x 14		



## REGULATION TIPS


- Fall protection is THE MOST FREQUENTLY CITED STANDARD by OSHA. There are standards for both Construction and General Industries. 49 CFR 393.41(a) – (c)

## HARD HAT EMBLEM PACKS OF 25:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
HH71	25/Pack Vinyl Adhesive	2" Dia		

## SCAFFOLD STATUS TAGS PACKS OF 25:



PART#	MATERIAL
RPT168	Unrippable Vinyl
SIZE (IN.)	QUANTITY
6 x 3	
Location/Comments	



PART #	MATERIAL
RPT166	Unrippable Vinyl
SIZE (IN.)	QUANTITY
6 x 3	
Location/Comments	



PART #	MATERIAL
RPT70	Unrippable Vinyl
SIZE (IN.)	QUANTITY
6 x 3	
Location/Comments	



PART #	MATERIAL
SPT1	Cardstock
SIZE (IN.)	QUANTITY
6 x 3	
Location/Comments	



# CHEMICAL STORAGE

"Warning signs shall be provided and displayed at each regulated area. In addition, warning signs shall be posted at all approaches to regulated areas so that an employee may read the signs and take necessary protective steps before entering the area." **29 CFR 1910.1001(j)(4)(i)**



## REGULATION TIPS

- OSHA's HazCom12 regulations pertain to labeling of shipping containers, and secondary containers used over time in the workplace. Shipping labels have 6 required elements and workplace containers must reflect similar information, though elements are unspecified.

## SIGNS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
D138PB	Vinyl Adhesive	10 x 14		
D138RB	Rigid Plastic	10 x 14		
D138AB	Aluminum	10 x 14		
C310PB	Vinyl Adhesive	10 x 14		
C310RB	Rigid Plastic	10 x 14		
C310AB	Aluminum	10 x 14		
D95PB	Vinyl Adhesive	10 x 14		
D95RB	Rigid Plastic	10 x 14		
D95AB	Aluminum	10 x 14		
M52P	Vinyl Adhesive	4 x 12		
M51P	Vinyl Adhesive	4 x 12		

# RIGHT-TO-KNOW

"The employer shall maintain in the workplace copies of the required safety data sheets for each hazardous chemical, and shall ensure that they are readily accessible during each work shift to employees when they are in their work area(s)." **29 CFR 1910.1200 (g)(8)**

"Signs shall be in locations approved by the authority having jurisdiction and as a minimum shall be posted at the following locations:

- (1) Two exterior walls or enclosures containing a means of access to a building or facility
- (2) Each access to a room or area
- (3) Each principal means of access to an exterior storage area." **NFPA 704, 2012 Edition**



## REGULATION TIPS

- The deadline to have Safety Data Sheets for each chemical present is July 1, 2015. Review which chemicals still have old MSDS formats and request new ones for the manufacturer/distributor.
- NFPA and OSHA's GHS signs and labels may coexist in the workplace, as long as conflicting information is not presented; **do not include category numbers in the NFPA Diamond graphic.**

## CENTERS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
RTK64	<b>SDS Binder Center</b> Includes Binder, Rack, Training Booklet in Spanish and English, and RTK Poster	300 Sheet Capacity		
RTK81BI	<b>RTK Compliance Center</b> Includes Backboard, 2 Racks, 2 Binders and Chains	600 Sheet Capacity		

## HAZARD COMMUNICATION:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
PST128 GHS Poster	Laminated Paper	18 x 24		
PST129 GHS Poster	Laminated Paper	24 x 18		
GHS Wallet Card	Laminated Paper	2 1/8 x 3 3/8		
HC12F GHS Kit	2 GHS Posters, 20 Wallet Cards & 20 RTK Information Manuals			

## LABELS:



PART #	MATERIAL	SIZE (IN.)	QTY	LOCATION/COMMENTS
HM27	PS Paper 250/pk	4 x 4		
HM29ALV	PS Paper 250/pk	2 x 2		
HM29ALV	Vinyl 250/pk	4 x 4		
NFPK8	Rigid Plastic	15 x 15		

## PIPE MARKERS

"Positive identification of the contents of a piping system shall be by lettered legend giving the name of the contents."  
**ANSI A13.1 --2007**

"Clearly differentiate water types."  
**29 CFR 1926.51; 29 CFR 1910.141**

## PIPE MARKERS:

### Color

### Classification

White on Red	Fire Quenching Fluids
Black on Orange	Toxic and Corrosive Fluids
Black on Yellow	Flammable Fluids
White on Brown	Combustible Fluids
White on Green	Potable, cooling, boiler feed and other water
White on Blue	Compressed Air

### COLD WATER

### BOILER FEED

### HIGH PRESSURE AIR

Fill In Here

Fill In Here

Fill In Here

PART #	MATERIAL	SIZE	QTY	LOCATION/COMMENTS
A1056G	Vinyl	2" x 14"		
A1026Y	Vinyl	2" x 14"		
B1290B	Vinyl	1" x 9"		
	Vinyl			
	Vinyl			
	Vinyl			

## ADDITIONAL STOCK AND CUSTOM PRODUCTS

[illegible]



**Sign Muscle™ protects your safety message against fading, damage and graffiti to give you the BEST aluminum, plastic and vinyl signs in the industry!**

*The Toughest Sign You'll Never Replace... Guaranteed*



**Print Labels and Signs  
on Demand with NMC's Printers!**

**57111**

**57124**

**GHS  
PRINTER  
TEMPLATES  
AVAILABLE!**



This Facility Audit was prepared by:

Date Completed: \_\_\_\_\_

Distributor Name:\_\_\_\_\_

Date Quote Requested By:\_\_\_\_\_

Distributor Contact:\_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

This Facility Audit was prepared for:

Company Name: \_\_\_\_\_

Manufacturer's Rep:

Contact Name: \_\_\_\_\_

Phone: \_\_\_\_\_

Contact Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Contact Email: \_\_\_\_\_

**ADDITIONAL NOTES:**

[illegible]

This is a general guide designed to assist customers in identifying available NMC safety identification products in support of their safety programs. This guide is not a list of all legally required products; and NMC makes no warranty, express or implied, that the guide or the products are suitable for a particular customer's use. Each party using this guide should assess the specifics of its own business operations and make its own determination, or seek independent professional advice, regarding the use of this guide and products and compliance with applicable laws.



**The Toughest Sign You'll  
Never Replace... Guaranteed!**