

**Product Family  
Oliver 45633C**

Oliver 45 Series composite toe safety footwear features liquid-resistant leather, non-metallic construction, padded collar and tongue, and COMFORTcushion insole

Wheat leather, lace-up, 6 in (150 mm)

Meets ASTM F2413-11 M I/75 C/75 EH



by Honeywell

**Product Numbers & Ordering Information**

Product Numbers	Details
 45633C	<b>Oliver 45633C - Composite Toe Safety Boot</b> Wheat leather, lace-up, 6 inch work boot Men's whole - 6-14 / half 7 1/2 - 11 1/2 Men's Whole sizes 6-14 Men's Half sizes 7 1/2 - 11 1/2

**Additional Information**

For women's sizes subtract two sizes from the size you currently wear to most closely match the men's size. As an example, if you currently wear a size 8 women's shoe your best fit would be a men's size 6. This is a general guide, it is always best to try-on your footwear before purchase.

**Packaging Information**

1 pair per box, 6 pair per case.

**Overview****Key Features**

- Liquid-resistant leather
- Composite toe impact protection is 40% lighter than traditional steel toe, for less fatigue when worn all day
- NANOLite and COMFORTcushion technology to help reduce leg fatigue and enhance comfort
- All-terrain, TPU sole technology consists of a lightweight, shock absorbing low-density PU (polyurethane) midsole cushions the foot with each step for excellent comfort
- Oliver outsole design is slip-resistant to help prevent worker slips and falls and is heat-resistant to temperatures up to 266° F (130° C)

**Recommended Industries/Use**

- Agriculture
- Construction
- Manufacturing
- Municipal Services
- Steel and Metals

**Hazards**

- Impact
- Slip

**Warranty Information****30-Day Comfort Guarantee**

Try a pair of correctly fitted Oliver boots for 30-Days, if you are not completely satisfied, return them to your Oliver dealer with a dated proof of purchase. Your boots will be exchanged or returned for a full refund. We are confident that once you try on Oliver boots and feel the comfort, you'll never want to return them!

**LIMITED WARRANTY:**

Honeywell Safety products are covered by and subject to the terms of the Honeywell Safety Products Limited Warranty that is printed in our published price list. The Honeywell Safety Products Limited Warranty is the only written warranty of any force and effect, and all other written warranties are disclaimed in their entirety. In no event shall Honeywell Safety Products or any of its authorized dealers be liable for any damages in excess of the purchase price of the relevant product. This limitation applies to damages of any kind, including but not limited to direct or indirect damages or other special, incidental exemplary or consequential damages, whether arising out of the use or inability to use the product, even if we or any of our authorized dealers has been advised of the possibility of the damages or any claim by any other party.

**Specifications****Construction**

- Direct Attach

**Upper material**

- Liquid-resistant leather

**Outsole**

- TPU outsole combines low-density shock absorption and high-density abrasion resistance

**Closure**

- Lace-up

**Composite toe protection**

- Yes

**Metatarsal protection**

- No

**Puncture plate protection**

- No

**Waterproof**

- No

**Electrical Hazard rated outsole**

- Yes

**ASTM tested**

- F2413-11 M I/75 C/75 EH

**Literature & Documents****Oliver Footwear Sizing Chart**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Footwear/Protective\\_Shoes\\_\(100J\\_toe\\_cap\)/4294986116/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Footwear/Protective_Shoes_(100J_toe_cap)/4294986116/1033.aspx)

Footwear size conversion chart.

**Oliver 2014 US Brochure**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Footwear/Protective\\_Shoes\\_\(100J\\_toe\\_cap\)/4294988925/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Footwear/Protective_Shoes_(100J_toe_cap)/4294988925/1033.aspx)

Oliver Safety Footwear, 2014 US Brochure

